View NSN Online: https://aerobasegroup.de/nsn/6810-00-682-6677

PENNWALT CORPORATION -- ANHYDROUS FERRIC CHLORIDE, PENNWALT NO.4110 6810-00-682-6677

Product ID: ANHYDROUS FERRIC CHLORIDE, PENNWALT NO.4110 MSDS Date:01/01/1985 FSC:6810 NIIN:00-682-6677 MSDS Number: BFLLJ === Responsible Party === **Company Name: PENNWALT CORPORATION** Address:THREE PARKWAY City:PHILADELPHIA State:PA ZIP:19102 Country:US Info Phone Num:215-587-769 5 Emergency Phone Num:215-587-7695 CAGE:7K913 === Contractor Identification === Company Name: ELF ATOCHEM NORTH AMERICA INC Address:2000 MARKET STREET Box:City:PHILADELPHIA State:PA ZIP:19103-3222 Country:US Phone:800-245-5858 CAGE:86460 Company Name: PENNWALT CORPORATION/ELF ATOCHEM NORTH AMERICA Address:THREE PARKWAY City:PHILADELPHIA State:PA ZIP:19102 Phone:215-587-7711 CAGE:7K913

Ingred Name:FERRIC CHLORIDE (SARA III) CAS

:7705-08-0 RTECS #:LJ9100000 Fraction by Wt: 95.5% OSHA PEL:1 MG FE/M3 ACGIH TLV:1 MG FE/M3; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS
======================================
Effects of Overexposure:IRRITATES SKIN & EYES.INGEST MAY CAUSE SEVERE LIVER/KIDNEY DAMAGE.
======================================
First Aid:INGEST:DRINK LARGE QTY OF COOL WATER.CONSULT MD.SKIN;WASH W/SOAP & WATER.EYES-FLUSH WITH PLENTY WATER FOR AT LEAST 15 MIN.GET MEDICAL ATTENTION.
======================================
Flash Point:NONE Lower Limits:NONE Upper Limits:NONE Extinguishing Media:DOES NOT BURN
======================================
Spill Release Procedures:SWEEP OR SCOOP UP.FLUSH RESIDUE W/WATER.
======================================
Handling and Storage Precautions:WASH AFTER HANDLING,DO NOT GET IN SKIN,EYES,CLOTHES.DO NOT BREATHE DUST.KEEP CONTAINERS CLOSED.BRUSH OFF EXCESS & FLUSH SKIN WITH WATER. Other Precautions:USE FULL DRUM QUANTITIES.DO NOT STORE PARTIALLY

FILLED DRUMS IF POSSIBLE.

Respiratory Protection:FILTER-DUST Ventilation:GENERAL MECHANICAL-USE WITH ADEQUATE VENTILATION Protective Gloves:PLAS OR RUBBER Eye Protection:GOGGLES Other Protective Equipment:RUBBER APRON,BOOTS Supplemental Safety and Health MFR MSDS DATED-1/2/79 Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS Hazardous Decomposition Products:RELEASE CHLORINE AT ELEVATED TEMPERATURE-553F

=======================================	Disposal Considerations	===================
==		

Waste Disposal Methods:DILUTE TO 1-2% & FLUSH TO DRAIN WITH LARGE VOLUMES OF WATER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify an d

assume responsibility for the suitability of this information to their particular situation.