View NSN Online: https://aerobasegroup.de/nsn/6840-00-685-5438

## MICHLIN DIAZO PRODUCTS CORPORATION -- MICHLIN MALATHION EC-5 -- 6840-00-685-5438

Product ID:MICHLIN MALATHION EC-5

MSDS Date:01/01/1987

FSC:6840

NIIN:00-685-5438

MSDS Number: BFLPQ === Responsible Party ===

Company Name: MICHLIN DIAZO PRODUCTS CORPORATION

Address:10501 HAGGERTY ST

City:DEARBORN

State:MI ZIP:48126

Info Phone Num:313-846-5700 Emergency Phone Num:313

-846-5700 CAGE:8Y149

=== Contractor Identification ===

Company Name: MICHLIN CHEMICAL CORPORATION

Address:10501 HAGGERTY ST

Box:City:DEARBORN

State:MI ZIP:48126 Country:US

Phone:313-846-5700/800-424-9300(CHEMTREC)

**CAGE:8H736** 

Company Name: MICHLIN DIAZO PRODUCTS CORP

Address:10501 HAGGERTY ST

Box:City:DEARBORN

State:MI ZIP:48126 Country:US

Phone:800-255-3924

CAGE:8Y149

======= Composition/Information on Ingredients ========

Ingred Name: MALATHION (SARA III)

CAS:121-75-5 RTECS #:WM840 0000 Fraction by Wt: 56.6% OSHA PEL:S, 15 MG/M3 ACGIH TLV:S, 10 MG/M3; 9293 EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS Ingred Name: AROMATIC PETROLEUM SOLVENT Fraction by Wt: 36.5% OSHA PEL:5MG/M\*3(OIL MIST) ACGIH TLV:5MG/M\*3(OIL MIST) Ingred Name: INERT INGREDIENTS Fraction by Wt: 6.9% Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:S EE SIGNS & SYMPTOMS OF OVEREXPOSURE. Effects of Overexposure: CHOLINESTERASE INHIBITOR, HEADACHE, LACRIMAT, SALIVA, LABORED BRTHNG, VOMIT, DIARRHEA, CONVULSIONS. First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O\*2 IF NEED; EYES/SKIN: FLUSH W LG AMTS H\*20 FOR 15 MIN; INGEST: RINSE MOUTH; GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER SYMPTOMS OF OVEREXPOSURE. GIVE 1/100 GRAINS ATROPINE(1-2 TABS). ======== Fire Fighting Measures ============== Flash Point Method:TOC

Flash Point:90F(32C)

Extinguishing Media:H\*2O, DRY CHEM, SAND, EARTH. Fire Fighting Procedures: WEAR SELF-CNTND BRTHG APP

Unusual Fire/Explosion Hazard: CONTAINERS MAY RUPTURE IN HEAT OF FIRE.TOXIC GAS MAY EXCAPE DURING FIRE.

----- Accidental Release Measures -----

Spill Release Procedures: EVACUATE DANGER AREA, CONSULT AN EXPERT, NEUTRALIZE WITH SODIUM HYPOCHLORITE SOLUTION

PROTECTION:COMPLETE PROTECTIVE CLOTHING(. WEAR SELF-CONTAINED BREATHING APPARATUS. STOP LEAK. ELIMI N. IGN. SOURCES.
======================================
Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENT,LOW FIRE RISK AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP CONTAINERS TIGHTLY CLOSED.  Other Precautions:KEEP OUT OF REACH OF CHILDREN.
====== Exposure Controls/Personal Protection =======

Respiratory Protection:SCBA IF INVOLVED IN FIRE, OTHERWISE GAS MASK. Ventilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN

(EXTRA PERSONAL