

ZIEBART INTERNATIONAL CORP. -- ZPG-1015 -- 8030-00-709-3327

=====
Product Identification
=====

Product ID:ZPG-1015
MSDS Date:01/01/1987
FSC:8030
NIIN:00-709-3327
MSDS Number: BFMBF
=== Responsible Party ===
Company Name:ZIEBART INTERNATIONAL CORP.
Address:1290 E MAPLE RD
Box:1290
City:TROY
State:MI
ZIP:48099
Country:US
CAGE:DO768

==== Contractor Identification ====
Company Name:ZIEBART INTERNATIONA
L CORP ZIEBART PROD
Address:26500 CAPITOL AVENUE
Box:1290
City:REDFORD
State:MI
ZIP:48239
Phone:800-424-9300 CHEMTREC
CAGE:DO768
Company Name:ZIEBART RUSTPROOFING CO
Address:1290 E MAPLE RD
Box:1290
City:TROY
State:MI
ZIP:48099
Country:US
CAGE:55246

=====
Composition/Information on Ingredients
=====

Ingred Name:ALIPHATIC HYDROCARBON
Fraction by Wt: 42%
ACGIH TLV:500PPM

=====
Hazards Identification
=====

Effects of Overexposure:INHAL:HEADACH

E, NAUSEA, DIZZ. EYE: SEVERE IRRIT,
SKIN IRRIT, POSS DERMATITIS.

=====
First Aid Measures
=====

First Aid: EYE: FLUSH W/WATER F/15 MIN; CALL DR. SKIN: WASH W/SOAP &
WATR; APPLY MILD SKIN LOTION. INHAL: REMOVE TO FRESH AIR; APPLY
ARTIFICIAL RESPIRATION & O*2 AS NEC; CALL DR. INGEST: CALL DR.

=====
Fire Fighting Measures
=====

Flash Point: 105F TCC 41C

Extinguishing Media: CO*2, FOAM, DRY CHEMICAL

Fire Fighting Procedure

res: H*2*O SPRAY MAY BE USED TO COOL CLOSED
CONTNRS.

Unusual Fire/Explosion Hazard: TYPICAL F/COMBUSTIBLE HYDROCARBON
SOLVENT.

=====
Accidental Release Measures
=====

Spill Release Procedures: REMOVE ALL IGNITION SOURCES; VENTILATE AREA.
IF ABOVE PEL, USE SELF-CONTAINED BREATHING APPARATUS. CONTAIN SPILL
W/ABSORBENT MATERIAL. USE NON-SPARKING TOOLS TO SHOVEL INTO
CONTAINER. SEAL CONTAINER TIGHTLY.

=====
Handling and Storage
=====

Handling and Storage Precautions: DO NOT USE NEAR ANY IGNITION SOURCES.
STORE & USE IN VENTILATED AREAS.

Other Precautions: NORMAL FOR COMBUSTIBLE SOLVENT.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection: ORGANIC VAPOR MASK. IF ABOVE PEL, SELF-CONTND
BREATHING APPARATUS.

Ventilation: LOC. EXHAUST-YES; MECHANICAL-FAN

Protective Gloves: NEOPRENE OR EQU

Eye Protection: CHEM SPLASH GOGGLES

Other Protective Equipment: RUBBER APRON & RUBBER

BOOTS F/SPILL OR
SPRAY.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:315-360F

Vapor Pres:2

Vapor Density:4.9

Spec Gravity:0.97

Evaporation Rate & Reference:(N.BUTYL ACET