

WITCO CORPORATION (DIST BY ACX CORP) -- ARMOR SHIELD 231 -- 8030-00-709-3327

=====
Product Identification
=====

Product ID:ARMOR SHIELD 231

MSDS Date:01/01/1985

FSC:8030

NIIN:00-709-3327

MSDS Number: BFMBG

=== Responsible Party ===

Company Name:WITCO CORPORATION (DIST BY ACX CORP)

Address:10100 SANTA MONICA BLVD SUITE 1470

City:LOS ANGELES

State:CA

ZIP:90067

Country:US

CAGE:2M865

=== Contractor I

dentification ===

Company Name:WITCO CHEMICAL GOLDEN BEAR DIVISION

Address:10100 SANTA MONICA BLVD SUITE 1470

Box:City:LOS ANGELES

State:CA

ZIP:90067

Country:US

Phone:800-393-7110

CAGE:70708

Company Name:WITCO CORPORATION

Address:633 COURT ST

City:BROOKLYN

State:NY

ZIP:11231-2193

Country:US

Phone:718-858-5678

CAGE:2M865

=====
Composition/Information on Ingredients
=====

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS:1317-65-3

RTECS #:EV9580000

Fraction by Wt: UNK

OSHA

PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9192

Ingred Name:MINERAL OIL (EXPOSURE REGULATED AS 'OIL MIST')
CAS:8012-95-1
RTECS #:PY8030000
OSHA PEL:5 MG/M3
ACGIH TLV:5 MG/M3/10 STEL;9192

Ingred Name:STODDARD SOLVENT
CAS:8052-41-3
RTECS #:WJ8925000
Fraction by Wt: UNK
OSHA PEL:500 PPM
ACGIH TLV:100 PPM; 9293

=====
Hazards Identification
=====

Effects of Overexposure:MAY CAUSE SKIN IRRITATION & EYE BURNS

=====
First Aid Measures
=====

First Aid:EYES:FLUSH WITH WATER FOR 15 MINUTES. CALL PHYSICIAN.
SKIN:WASH WITH SOAP & WATER. CALL PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point:105F; 41C, PMCC
Extinguishing Media:FOAM, DRY CHEMICAL, CO*2
Fire Fighting Procedures:USE NORMAL PROCEDURE FOR KEROSENE-TYPE FIRES
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:SHUT OFF LEAK. DIKE UP LARGE SPILLS. KEEP AWAY FROM OPEN FLAMES OR SPARKS. USE OIL ABSORBENT MATERIAL FOR CLEAN UP.

=====
Handling and Storage
=====

Handling and Storage Precautions:AVOID EXPOSURE TO OPEN FLAME OR SPARKS.
Other Precautions:AVOID APPLICATION IN UNVENTILATED AREA.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:MANUFACTURER STATES NONE NEEDED IN OPEN AREAS.
SEE OTHER PROT EQUIP
Ventilation:GENERAL VENTILATION

N RECOMMENDED

Protective Gloves:OIL RESISTANT

Eye Protection:GOGGLES OR FACE SHIELD

Other Protective Equipment:IF CONDITIONS DICTATE MAY REQ NIOSH/MSHA
RESP PROTECTION

Supplemental Safety and Health

ACX CORP WAS FORMERLY CALLED BAY VIEW SERVICE & SUPPLY COMPANY.

MAUFACTURER S ADDRESS:2907 BAYSHORE DRIVE, BACLIFF TEXAS 77518.

CONTAINER SIZE:55 GAL DRUM

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:300-400F

Spec Gravity:0.948

Solubil

ity in Water:INSOLUBLE

Appearance and Odor:THIXOTROPIC LT BROWN LIQ, PARAFFINIC SOLVENT ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:MANUFACTURER RECOMMENDS BURNING UNDER CONTROLLED
CONDITIONS. DISPOSAL METHODS MUST BE IAW FEDERAL, STATE & LOCAL
REGULATIONS.

Disclaimer (provided with t
his information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.