

KOPPERS CO INC -- BROWN VINYL PRIMER -- 8010-00-722-7119

=====
Product Identification
=====

Product ID:BROWN VINYL PRIMER

MSDS Date:01/01/1987

FSC:8010

NIIN:00-722-7119

MSDS Number: BFMLH

=== Responsible Party ===

Company Name:KOPPERS CO INC

Address:3000 KOPPERS BLDG

City:PITTSBURGH

State:PA

ZIP:15219-1818

Country:US

Emergency Phone Num:213-726-8666

CAGE:80592

=== Contractor Identification ===

Co

Company Name:KOPPERS CO INC

Address:3000 KOPPERS BLDG

Box:City:PITTSBURGH

State:PA

ZIP:15219-1818

Country:US

CAGE:80592

=====
Composition/Information on Ingredients
=====

Ingred Name:VINYL CHLORIDE-VINYL ACETATE COPOLYMER

ACGIH TLV:5 PPM

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:200 PPM; Z-2

ACGIH TLV:S, 50 PPM; 9394

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SA

RA III)
CAS:78-93-3
RTECS #:EL6475000
OSHA PEL:200 PPM/300 STEL
ACGIH TLV:200 PPM/300STEL 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:METHYL ISOBUTYL KETONE (SARA III)
CAS:108-10-1
RTECS #:SA9275000
OSHA PEL:100 PPM/75 STEL
ACGIH TLV:50 PPM/75 STEL; 9293
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

=====
Hazards Identification
=====

Effects of Overexposure:EYE,THROAT,SKIN,LUNG
IRRITANT,DROUSINESS,DIZZINESS,COMA

=====
First
Aid Measures
=====

First Aid:WASH SKIN THOROUGHLY FLUSH EYES WITH WATER,REMOVE TO FRESH
AIR,REMOVE CONTAMINATED CLOTHING GIVE ARTIFICIAL RESPIRATION IF
NEEDED,CALL DOCTOR,DO NOT INDUCE VOMITING

=====
Fire Fighting Measures
=====

Flash Point:24F,4.4C TCC
Extinguishing Media:FOAM,DRY CHEMICAL,FOG,CARBON DIOXIDE,WATER SPRAY
Fire Fighting Procedures:USE AIR SUPPLIED EQUIPMENT FOR ENCLOSED AREAS
Unusual Fire/Explosion Hazard:AVOID FIRE,
HEAT,SPARKS,IGNITION
SOURCES,STORAGE IN DIRECT SUNLIGHT

=====
Accidental Release Measures
=====

Spill Release Procedures:VENTILATE AREA MECHANICALY,KEEP FROM
FLAME,FIRE,SPARKS,IGNITION SOURCES;DO NOT BREATHE VAPORS; CLEAN UP
WITH ABSORBENT MATERIAL AND NON-SPARKING TOOLS,RAGS

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED,UPRIGHT,AWAY
FROM FIRE,FLAME,SPARKS,IGNITION SOURC

ES,DIRECT SUNLIGHT,VENTILATE
AREA,DO NOT BREATH VAPORS,USE INERT ABSORBENTS
Other Precautions:DO NOT USE IN CONFINED AREAS WITHOUT ADEQUATE
VENTILATION

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:ORGANIC VAPOR CANISTER
Ventilation:LOCAL EXHAUST,MECHANICAL
Protective Gloves:GLOVES,RUBBER
Eye Protection:GOGGLES
Supplemental Safety and Health
CONTAINS RED LEAD WITH TLV Y 0.15 MG/M3

=====
===== Physical/Chemical Properties =====
=====

HCC:F2
Spec Gravity:1.18
Solubility in Water:SLIGHT
Appearance and Odor:RED,BROWN LIQUID WITH KETONE ODOR

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.