

KENNECOTT CORP -- MIL-C-17605,CHARCOAL,ACTIVATED,UNIMPREGNATD -- 6810-00-726-7944

=====  
Product Identification  
=====

Product ID:MIL-C-17605,CHARCOAL,ACTIVATED,UNIMPREGNATD

MSDS Date:01/01/1985

FSC:6810

NIIN:00-726-7944

MSDS Number: BFMPN

=== Responsible Party ===

Company Name:KENNECOTT CORP

Emergency Phone Num:716-278-6250

CAGE:LO859

=== Contractor Identification ===

Company Name:KENNECOTT CORP

C

AGE:LO859

Company Name:KENNECOTT CORP ACTIVATED CARBON DIV

Address:MID-AMERICA INDUSTRIAL DISTRICT

Box:1250

City:PRYOR

State:OK

ZIP:74361

Country:US

CAGE:9U501

=====  
Composition/Information on Ingredients  
=====

Ingred Name:GRAPHITE, SYNTHETIC

CAS:7440-44-0

RTECS #:FF5250100

Fraction by Wt: 100%

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:2 MG/M3 TDUST; 9293

=====  
Hazards Identification  
=====

Health Hazards Acute and Chronic:EYE IRRITATION, SKIN IRRITATION

Explanation of Carcinogenicity:NOT SPECIFIED BY MANUFACTURER.

Effects of Overexposure:MAY CAUSE IRRITATION TO SKIN/EYES ON DIRECT CONTACT.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
First Aid Measures  
=====

First Aid:SKIN/EYES:FLUSH W WATER FOR AT LEAST 15 MIN. GET MED ATTN IF EYE IRRITATION PERSISTS.

=====  
Fire Fighting Measures  
=====

Extinguishing Media:FOAM,CO2,OR DRY CHEM

Fire Fighting Procedures:WEAR SELF-CNTND BREATHING APPARATUS.  
Unusual Fire/Explosion Hazard:CONTACT W STRONG OXIDIZERS SUCH AS OZONE  
OR LIQD OXYGEN MAY CAUSE EXPLOSION

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP UP SPILL AND DISCARD IN PROTECTED REFUSE  
CONTAINERS SUITABLE FOR SHIPMENT TO DISPOSAL AREA/OR REACTIVATION  
PLANT.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID CONTACT W EYES,SKIN &  
CLOTHING.KEEP CONTAINERS TIGHTLY CLOSED.

Other Precautions:PROTECT FROM MOISTURE CONTACT.WET ACTIVATED CARBON  
DEPLETES OXYGEN FROM THE AIR CREATING A SEVERE HAZARD TO WORKERS IN  
CONFINED/ENCLOSED AREAS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQD UNLESS IN CONFINED AREA.

Ventilation:LOCAL EXHAUST:WELL VENTILATED AREA IS REQD DURING USE.

Protective G

oggles:RUBBER

Eye Protection:SAFETY GLASSES

Other Protective Equipment:NONE KNOWN

Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT  
AND BEFORE EATING DRINKING OR SMOKING.

Supplemental Safety and Health

UPDATED TO CHANGE HCC FROM J2 TO N1. DGSC-SSH.

===== Physical/Chemical Properties =====

HCC:N1

Spec Gravity:1.8-2.

Solubility in Water:INSOLUBLE

Appearance and Odor:GRANULES & POWDER

===== Stability and Reactivity Data =====

=====

Stability Indicator/Materials to Avoid: YES  
STRONG OXIDIZERS SUCH AS OZONE & LIQD O2, STRONG MINERAL ACI  
Stability Condition to Avoid: SOURCE OF IGNITION.  
Hazardous Decomposition Products: CO, CO2  
Conditions to Avoid Polymerization: UNK

===== Disposal Considerations =====

Waste Disposal Methods: REACTIVATE THE WASTE IF POSSIBLE OR DISPOSED OF  
IAW LOCAL, STATE AND FED REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.