

GOAL CHEMICAL SEALANTS CORP. -- GC-408 CLASS B -- 8030-00-753-4599

=====  
Product Identification  
=====

Product ID:GC-408 CLASS B

MSDS Date:01/01/1985

FSC:8030

NIIN:00-753-4599

MSDS Number: BFMZS

=== Responsible Party ===

Company Name:GOAL CHEMICAL SEALANTS CORP.

Emergency Phone Num:(213) 269-0461

CAGE:04011

=== Contractor Identification ===

Company Name:GOAL CHEMICAL SEALANTS CORP

Address:3137 E 26

TH ST

Box:City:LOS ANGELES

State:CA

ZIP:90023-4206

Country:US

Phone:213-269-0461

CAGE:04011

=====  
Composition/Information on Ingredients  
=====

Ingred Name:POLYSULFIDE POLYMER(LP-POLYSULFIDE POLYMER)

Fraction by Wt: 57.5%

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS:1317-65-3

RTECS #:EV9580000

Fraction by Wt: 30.0%

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9192

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

Fraction by Wt: 11.1%

OSHA PEL:15 M

G/M3 TDUST  
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:STEARIC ACID  
CAS:57-11-4  
RTECS #:WI2800000  
Fraction by Wt: 0.7%

Ingred Name:THIRAM (SARA III)  
CAS:137-26-8  
RTECS #:JO1400000  
Fraction by Wt: 0.16%  
OSHA PEL:5 MG/M3  
ACGIH TLV:1 MG/M3; 9192  
EPA Rpt Qty:10 LBS  
DOT Rpt Qty:10 LBS

=====  
Hazards Identification  
=====

Effects of Overexposure:MAY CAUSE SKIN OR EYE IRRITATION UPON CONTACT

=====  
First Aid Measures  
=====

First  
Aid:WASH HANDS THOROUGHLY. FLUSH EYES COPIOUSLY W/WATER.GIVE  
EMETIC IF INGESTED.

=====  
Fire Fighting Measures  
=====

Flash Point:400F, 180C OC  
Extinguishing Media:WATER,CO\*2, FOAM, DRY CHEMICALS  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:MFR RECM SCRAPE UP & CLEAN W/SOLVENTS

=====  
Handling and Storage  
=====

=

Handling and Storage Precautions:WASH HANDS THOROUGHLY AFTER HANDLING.  
DO NOT INGEST. STORE INDOORS BELOW 80F.  
Other Precautions:NONE

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NONE REQUIRED  
Ventilation:SUFFICIENT  
Protective Gloves:RECOMMENDED  
Eye Protection:RECOMMENDED  
Other Protective Equipment:NONE  
Supplemental Safety and Health  
PART A OF TWO PART PRODUCT(BASE INGRED OF SYNTHETIC RUBBER COMPOUND).  
TYPE II, CLASS B-2. UNIDENTIFIED IN

GRECIENTS:0.24%. KEY1:N1.

===== Physical/Chemical Properties =====

HCC:N1

Spec Gravity:1.5

Solubility in Water:NEGLIGIBLE

Appearance and Odor:OFF WHITE TO GRAY SEMI-SOLID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG BASES & OXIDIZING AGENTS

Stability Condition to Avoid:STORE BELOW 80F

Hazardous Decomposition Products:SO\*2, H\*2S, OTHER SULFUR COMPOUNDS.

===== Disposal Considerations =====

=====

Waste Disposal Methods:DISPOSE IAW FED., STATE & LOCAL CODES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.