

AMERICAN OIL & SUPPLY COMPANY -- P-LUBE 9870B -- 9150-00-753-4686

=====
Product Identification
=====

Product ID:P-LUBE 9870B

MSDS Date:01/01/1985

FSC:9150

NIIN:00-753-4686

MSDS Number: BFNBY

=== Responsible Party ===

Company Name:AMERICAN OIL & SUPPLY COMPANY

Emergency Phone Num:201-589-0250

CAGE:DO810

=== Contractor Identification ===

Company Name:AMERICAN OIL & SUPPLY CO

Address:233 WILSON AVE

City:NEWARK

State:NJ

ZIP:07105

Country:US

Phone:201-589-0250

CAGE:DO810

Company Name:AMERICAN OIL AND SUPPLY CO

Address:239 WILSON AVE

City:NEWARK

State:NJ

ZIP:07105-3824

Country:US

Phone:201-589-0250

CAGE:92895

=====
Composition/Information on Ingredients
=====

Ingred Name:BIS (2-ETHYLEXYL) SEBACATE

CAS:122-62-3

RTECS #:VS1000000

Fraction by Wt: 89%

Ingred Name:LITHIUM STEARATE

CAS:4485-12-5

RTECS #:WI4370000

Fraction by Wt: 8%

Ingred Name:DIISOPROPYL PHOSPHITE

CAS:1809-20

-7

RTECS #:SZ7660000

Fraction by Wt: 1%

Ingred Name:2,6-DI-TERT-BUTYL-P-CRESOL

CAS:128-37-0

RTECS #:GO7875000

Fraction by Wt: 0.5%

OSHA PEL:10 MG/M3

ACGIH TLV:10 MG/M3; 9192

Ingred Name:BARIUM DINONYLNAPHTHALENE SULFONATE

Fraction by Wt: 1.5%

=====
Hazards Identification
=====

Effects of Overexposure:NOT EXPECTED TO CAUSE ANY ILL EFFECT EXCEPT FOR VERY SENSITIVE INDIVIDUALS.

=====
First Aid Measures
=====

First Aid

:EYES: FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. SKIN: WIPE DRY THEN WASH WITH SOAP AND WATER.

=====
Fire Fighting Measures
=====

Flash Point:500F, 260C (COC)

Extinguishing Media:DRY CHEMICAL, CARBON DIOXIDE, FOAM, WATER FOG.

Fire Fighting Procedures:DO NOT USE WATER EXCEPT AS SPRAY TO COOL CONTAINERS.

Unusual Fire/Explosion Hazard:COMBUSTION CAN PRODUCE SMOKE AND OXIDES OF CARBON AND PHOSPHOROUS.

=====
Accidental Release Measures
=====

Spill Release Procedures:STOP FLOW. WIPE OR MOP UP, OR ABSORB WITH CLAY. DIATOMACEOUS EARTH OR OTHER INERT MATERIAL. STORE WASTE PRODUCT IN METAL CONTAINERS.

=====
Handling and Storage
=====

Handling and Storage Precautions:NO SPECIAL PRECAUTIONS NORMALLY REQUIRED.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE NORMALLY REQUIRED (MFR).

Ventilation:NONE NORMALLY REQUIRED

(MFR).
Protective Gloves:SEE OTHER EQUIP

Eye Protection:SAFETY GLASSES

Other Protective Equipment:SENSITIVE INDIVIDUALS SHOULD WEAR PROTECTIVE GLOVES

Supplemental Safety and Health

CONTAINER SIZE: 1 GAL CAN

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>600F,316C

Spec Gravity:0.928

Solubility in Water:INSOLUBLE

Appearance and Odor:TAN COLORED. SEMI-FLUID LUBRICANT. AGREEABLE ODOR.

===== Stability and Reactivity Data =====

=====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Hazardous Decomposition Products:COMBUSTION CAN PRODUCE SMOKE & OXIDES OF CARBON & PHOSPHORUS

===== Disposal Considerations =====

Waste Disposal Methods:MFR RECOMMENDS CONTROLLED INCINERATION. WASTE DISPOSAL METHOD MUST BE IAW FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by

elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.