

EXXON CO.U.S.A. -- AVIATION OIL EE 120 -- 9150-00-753-4937

===== Product Identification =====

Product ID:AVIATION OIL EE 120

MSDS Date:01/01/1987

FSC:9150

NIIN:00-753-4937

MSDS Number: BFNFB

=== Responsible Party ===

Company Name:EXXON CO.U.S.A.

Emergency Phone Num:713-656-3424

CAGE:LO890

=== Contractor Identification ===

Company Name:EXXON CO.U.S.A.

CAGE:LO890

Company Name:EXXON COMPANY U.S.A.

A

Address:Box:2180

City:HOUSTON

State:TX

ZIP:77252-2180

Country:US

Phone:713-656-5949 / 713-656-3424

CAGE:29700

===== Composition/Information on Ingredients =====

Ingred Name:NON HAZARDOUS INGREDIENTS(COMPLEX MIXTURE OF PETROLEUM
HYDROCARBONS) TLV IS FOR OIL

Fraction by Wt: 100%

ACGIH TLV:5 MG/CUM(MIST)

===== Hazards Identification =====

Effects of Overexposure:PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE
MILD SKIN IRRITATION.

=====

=====
First Aid Measures
=====

First Aid:IN CASE OF CONTACT,WASH THOROUGHLY WITH SOAP & WARM WATER.IF SPLASHED INTO THE EYES,FLUSH WITH CLEAR WATER FOR 15MINUTES TILL IRRITATION SUBSIDES.

=====
Fire Fighting Measures
=====

Flash Point:510F/266C(COC)

Lower Limits:1

Upper Limits:7

Extinguishing Media:SM:CO*2, DRY CHEM. LG:H*2O SPRAY,FOG OR FOAM

Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H*2O SPRAY TO COOL
CONT

R.

Unusual Fire/Explosion Hazard:DO NOT MIX OR STORE WITH STRONG OXIDANTS
LIKE LIQUID CHLORINE OR CONCENTRATED OXYGEN.

=====
Accidental Release Measures
=====

Spill Release Procedures:RECOVER FREE LIQUID.ADD ABSORBENT TO SPILL
AREA.KEEP OUT OF SEWERS AND WATERCOURSE BY DIKING OR
IMPOUNDING.ADVISE AUTHORITIES IF PRODUCT HAS ENTERED
SEWERS,WATERCOURSES,ETC.

=====
Handling and Storage
=====

Handling and Storage Preca

utions:STORE IN COOL,DRY WELL VENTED,LOW FIRE

RISK AREA. PROTECT FR HEAT,SHOCK KEEP CONTAINERS CLOSED.

Other Precautions:AVOID BREATHING OIL MIST. WASH SKN THOROUGHLY WITH
SOAP & WATER AFTER HANDLING.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NORMALLY NONE.

Ventilation:LOCAL EXHAUST.

Protective Gloves:CHEM-RESISTANT

Eye Protection:GOGGLES/FACE SHIELD

Other Protective Equipment:CHEMICAL-RESISTANT APRON OR CLOTHING.

Supplemental Safety and

Health
MSDS DATED 4-16-79

===== Physical/Chemical Properties =====

HCC:V6
Boiling Pt:B.P. Text:>600F/315C
Vapor Pres:NIL
Vapor Density:>12
Spec Gravity:0.894
Evaporation Rate & Reference: