

SHELL OIL COMPANY -- AEROSHELL OIL W 120 -- 9150-00-753-4937

=====
Product Identification
=====

Product ID:AEROSHELL OIL W 120

MSDS Date:01/01/1987

FSC:9150

NIIN:00-753-4937

MSDS Number: BFNFC

=== Responsible Party ===

Company Name:SHELL OIL COMPANY

Address:HEALTH, SAFETY AND ENVIRONMENT

Box:4320

City:HOUSTON

State:TX

ZIP:77210

Country:US

Info Phone Num:713-241-4819

Emergency Phone Num:713-473-94

61

CAGE:54527

=== Contractor Identification ===

Company Name:SHELL OIL COMPANY

Box:2463

City:HOUSTON

State:TX

ZIP:77210

Country:US

Phone:800-231-6950

CAGE:54527

=====
Composition/Information on Ingredients
=====

Ingred Name:PETROLEUM HYDROCARBONS (PARAFFINIC,NAPHTENIC AND AROMATIC)

Fraction by Wt: 96.5%

ACGIH TLV:10MG/CUM-MIST

Ingred Name:POLYMETHACRYLATE

Fraction by Wt: 3%.

Ingred Name:INHIBITED PHENOL ANTIOXIDANT

Fraction by Wt: 0.5%

=====
Hazards Identi

fication =====

Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Effects of

Overexposure:INH:PULM.IRR.,DIZZ,NAUSEA;SKIN:DERMATITIS,FOLLICULITIS
,OIL ACNE.

Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF AILMENTS
OR WITH A PRE-EXISTING DISEASE INVOLVING THE EYES, SKIN, OR
RESPIRATORY TRACT MAY BE AT INCREASED RISK FROM EXPOSURE.

===== First Aid Measures =====
=====

First Aid:INHALATION:REMOVE TO FRESH AIR. RESUSCITATE IF NOT BREATHING.
GET MEDICAL ATTENTION. EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER
FOR 15 MINUTES HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION.
SKIN:REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF
IRRITATION PERSISTS, GET MEDICAL ADVICE. INGESTION:DO NOT INDUCE
VOMITING. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET IMMEDIATE
MEDICAL ATTENTION.

===== Fire Fighting Measures =====
=====

Flash Point Method:PMCC

Flash Point:440F,227C

Extinguishing Media:USE CARBON DIOXIDE, FOAM, DRY CHEMICAL, OR WATER
FOG.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA &
FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER
SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:COOL FIRED EXPOSED CONTAINERS WITH WATER.

===== Accidental Release Measures =====

Spill Release Procedu

res:SM SPILL:ABSORB&PLACE IN APPROP.CONT;LG

SPILL:WEAR RESP,PROTECT.CLOTH.SHUT OFF@SOURCE
SAFELY.DIKE.REMOV.W/VAC.PUMP TO STORG,SOAK RESIDUE W/INERT
ABSORBNT.PLACE IN PROPER CONT.FLUSH W/WTR TO REMOV.TRAC E
RESIDUE-MAY BURN ALTHOUGH NOT READILYIGNITABLE.

Neutralizing Agent:NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED
AREA. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN

USE. PROTECT

CONTAINERS FROM PHYSICAL DAMAGE.

Other Precautions:MINIMIZE SKIN CONTACT.WASH W/SOAP&WTR BEFORE
EATING,DRINKING,SMOKING OR USING TOILET
FACILITIES.LAUNDR.CONTAM.CLOTHNG BEFORE USE.DISPOSE OF LEATHER
ARTICLES THAT CANNOT BE DECONTAMINATED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR AS REQUIRED
IF ABOVE PEL/TLV.

Ventilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN