View NSN Online: https://aerobasegroup.de/nsn/8030-00-753-5005

GOAL CHEMICAL SEALANTS CORP. -- GC-408 CLASS B -- 8030-00-753-5005

Product ID:GC-408 CLASS B MSDS Date:01/01/1985 FSC:8030 NIIN:00-753-5005 **MSDS Number: BFNHR** === Responsible Party === Company Name: GOAL CHEMICAL SEALANTS CORP. Emergency Phone Num:213-269-0461 CAGE:04011 === Contractor Identification === Company Name: GOAL CHEMICAL SEALANTS CORP Address:3137 E 26TH ST Box:City:LOS ANGELES State:CA ZIP:90023-4206 Country:US Phone:213-269-0461 CAGE:04011

Ingred Name:MANGANESE DIOXIDE (AS MANGANESE) CAS:1313-13-9 RTECS #:OP0350000 Fraction by Wt: 50.0% OSHA PEL:C,5 MG/M3/1 FUME TWA ACGIH TLV:5 MG/M3 DUST/1 FUME

Ingred Name:P-TERPHENYL(TERPHENYL-BIPEHNYL,PLASTICIZER) CAS:92-94-4 RTECS #:WZ6475000 Fraction by Wt: 47.0% ACGIH TLV:1 PPM

Ingred Name: GUANIDINE, 1,3-DIPHENYL (DIPHENYL GUANIDINE

## ) CAS:102-06-7 RTECS #:MF0875000 Fraction by Wt: 3.0%

Effects of Overexposure: MAY CAUSE SKIN OR EYE IRRITATION; DO NOT INGEST; INHALE: MAY AFFECT SOME PERSONS.

First Aid:INHAL-REMOVE TO FRESH AIR, GIVE CPR IF NEEDED.SKIN/EYES-FLUSH W/LARGE AMT WATER (USE SOAP ON SKIN).INGESTION-GIVE EMETIC.CALL PHYSICIAN.

=================== Fire Fighting Measu

Flash Point:>400F,>206C Extinguishing Media:H\*2O,CO\*2 Fire Fighting Procedures:SELF-CNTND BRTHG APP Unusual Fire/Explosion Hazard:COMBUSTION/DECOMPOSITION PRODUCTS INCLUDE H\*2S,SO\*2, AND OTHER SULFUR COMPOUNDS.

Spill Release Procedures:MFG. RECOMMENDS SCRAPTE UP & CLEAN W KETONES OR TOLUENE. CONSIDERED NON-HAZARDOUS, LIQUID CEMENT. USE APPROVED HANDLING PROCEDURES FOR SPECIFIC SOLVENTS U SED FOR CLEANING.

Handling and Storage Precautions:STORE IN COOL(50 TO 80F),DRY,VENTILATED, LOW FIRE RISK AREA. PROTECT FROM PHYSICAL DAMAGE. AVOID PHYSICAL CONTACT.KEEP CONTAINERS TIGHTLY CLOSED.
Other Precautions:SEE DATA UNDER PN IND A, THIS STOCK NUMBER.(TWO PART PRODUCT).

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE SHOULD BE NEEDED Ventilation:LOCAL EXHAUST ADEQAUTE TO ELIMINATE ODOR Protective Gloves:IMPERVIOUS Eye Protection:SAFETY/CHEM GOGGLES Other Protective Equipment:AS REQUIRED;NORMAL WORK CLOTHING GENERALLY ADEQUATE. Supplemental Safety and Health PART B OF PART TWO PRODUCT(CATALYST INGREDIENTS SYNTHETIC RUBBER SEALING COMPOUND). TYPE II,CLASS B-2.SEE DATA SHEETS FOR PART A FOR FULL DATA. KEY1:N1.

HCC:N1 Spec Gravity:1.5 Solubility in Water:SLIGHT Appearance and Odor:OFF WHITE,GREY WHEN MIXED;MERCAPTAN ODOR.

Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:TEMPERATURES OVER 300F Hazardous Decomposition Products:SO\*2,H\*2S,OTHER SULFUR

Waste Disposal Methods:CONSIDERED BY MFG. TO BE NON-HAZARDOUS TRASH. DISPOSE IN FULL REGULATORY COMPLIANCE.

Disclaimer (provided with this information

by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.