

DOW CORNING CORP -- FLUID 200,2 CS -- 9150-00-754-2600

=====
Product Identification
=====

Product ID:FLUID 200,2 CS

MSDS Date:07/11/1996

FSC:9150

NIIN:00-754-2600

MSDS Number: BFNMG

=== Responsible Party ===

Company Name:DOW CORNING CORP

Address:3901 SOUTH SAGINAW ROAD

Box:997

City:MIDLAND

State:MI

ZIP:48686

Country:US

Info Phone Num:517-496-6000

Emergency Phone Num:517-496-5900/800-424-9300(CHEM
TREC)

CAGE:5D028

=== Contractor Identification ===

Company Name:ACCUMETRIC INC

Address:350 RING RD

Box:843

City:ELIZABETHTOWN

State:KY

ZIP:42701

Country:US

Phone:502-769-3385

CAGE:58149

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name:DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI

ZIP:48611

Country:US

Phone:517-496-4388

CAGE:71984

Company Name:NESTOR SALES

INC DBA ACE TOOL CO
Address:7337 BRYAN DAIRY RD
Box:City:LARGO
State:FL
ZIP:33777
Country:US
Phone:727-544-6114
CAGE:1X015

=====
Composition/Information on Ingredients
=====

Ingred Name:POLYSILOXANE
Fraction by Wt: 100%
Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN.
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Hazard

Physical Hazards Acute and Chronic:TARGET ORGANS:EYES. ACUTE- EYES:MAY CAUSE DISCOMFORT. SKIN:NO KNOWN ADVERSE EFFECT. INHALE:NO IRRITATION TO EYES AND RESPIRATORY PASSAGES. ORAL:SMALL AMOUNTS TRANSFERRED TO THE MOUTH BY FINGERS SHOULD NOT INJURE. SWALLOWING LARGE AMOUNTS MAY CAUSE DIGESTIVE DISCOMFORT. CHRONIC- NO KNOWN ADVERSE EFFECTS.

Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION, DISCOMFORT, TEARING
Medical Cond Aggravated by Exposure:MAY ENHANCE ALLERGIC CONDITIONS.

=====
First Aid Measures
=====

First Aid:CALL PHYSICIAN IF SYMPTOMS PERSIST. EYE:FLUSH IMMEDIATELY WITH WATER, HOLDING EYELIDS OPEN. SKIN:WIPE EXCESS. WASH SKIN WITH SOAP & WATER. INHALED:NO FIRST AID SHOULD BE NEEDED. ORAL:NO FIRST AID SHOULD BE NEEDED.

=====
Fire Fighting Measures
=====

Flash Point Method:CC
Flash Point:190F,88C
Extinguishing Media:WATER FOG, FOAM, DRY CHEMICAL/CARBON DIOXIDE

E. WATER

MAY CAUSE FROTHING. COOL FIRE-EXPOSED CONTAINERS WITH WATER SPRAY.

Fire Fighting Procedures:DO NOT ENTER ANY ENCLOSED OR CONFINED AREA WITHOUT PROPER PROTECTIVE EQUIPMENT AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. REMOVE IGNITION SOURCES. VENTILATE AREA. SPILLS CAN BE TAKEN UP ON SAND, CLAY, EARTH, VERMICULITE & SHOVELD INTO CONTAINERS FOR DISPOSAL. WASH SPILL SITE TO REMOVE RESIDUAL CONTAMINATION.

Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM HEAT, SPARKS AND STRONG OXIDIZING AGENTS. KEEP OUT OF REACH OF CHILDREN. KEEP CONTAINER TIGHTLY CLOSED.

Other Precautions:AVOID CONTACT WITH EYES AND SKIN. WASH THOROUGHLY AFTER HANDLING. LAUNDRER CLOTHING BEFORE REUSE. DO NOT TAKE INTERNALLY. DO NOT EAT, DRINK OR SMOKE IN THE WORK AREA.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:GENERAL ROOM VENTILATION SHOULD BE SUFFICIENT. USE LOCAL EXHAUST AS NEEDED.

Protective Gloves:WASH AT MEAL TIME AND END OF SHIFT.

Eye Protection:SAFETY GLASSES AS A MINIMUM

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND

RECOMMENDED PROCEDURES. DISCARD CONTAMINATED LEATHER GLOVES AND SHOES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:>300F,>149C

Vapor Pres: