View NSN Online: https://aerobasegroup.de/nsn/9135-00-754-2694

Product ID:MIL-P-26539 NTO

MSDS Date:11/01/1985

FSC:9135

NIIN:00-754-2694

MSDS Number: BFNNF === Responsible Party ===

Company Name: VERTAC CHEM CORP DIV. OF CEDAR CHEM CORP

Address: RIFLE RANGE ROAD

Box:3

City:VICKSBURG

State:MS ZIP:39180

Info Phone Num:(601) 636-1231

Emergency Phone N um:(601) 636-1231

Preparer's Name: R.F.MARAMAN

CAGE:1K447

=== Contractor Identification ===

Company Name: VICKSBURG CHEMICAL CO

Address:4280 RIFLE RANGE ROAD

Box:821003

City:VICKSBURG

State:MS ZIP:39182 Country:US

Phone:(601) 636-1232

CAGE:1K447

======= Composition/Information on Ingredients ========

Ingred Name: NITROGEN DIOXIDE (SARA III)

CAS:10544-72-6 RTECS #:QX1575000 Fraction by Wt: 99.5% EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

===== Hazards Identification ===

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INGESTION: TISSUE DAMAGE/FATAL.

INHALATION: BRONCHIAL IRRITATION, PULMONARY EDEMA, CYANOSIS,

PULMONARY EDEMA/RESPIRATORY TRACT IRRITATION, COUGH, HEADACHE, LUNG TISSUE DAMAGE, WEAKNESS, IRRITATION OF MUCOUS MEMBRANES, DYSPNEA, MALAISE, PULMONARY IMPAIRMENT & NAUSEA, SKIN; BURNS & STAINS, EYE:

DINDNESS OF TICOLE DAM

BLINDNESS & TISSUE DAM

AGE.

Explanation of Carcinogenicity: NONE

Effects of Overexposure: INHALATION: IRRITATION TO THE EYES, NOSE,

THROAT & MUCOUS MEMBRANES. SKIN: CORROSIVE, BURNS & IRRITATION.

EYES: SEVERE TISSUE DAMAGE/BLINDNESS.

Medical Cond Aggravated by Exposure: TARGET ORGANS: RESPIRATORY SYSTEM

LUNGS, CARDIOVASCULAR SYSTEM.

First Aid:EYE: IMMEDIATELY FLUSH WITH PLENTY OF RUNNING WATER, INCLUDING UNDER EYELIDS. SKIN: REMOVE CON

TAMINATED CLOTHING UNDER

SAFETY SHOWER. WASH WITH SOAP AND RUNNING WATER FOR 15 MIN. INHALATION: REMOVE TO FRESH AIR. CONTACT PHYSICIAN IN ALL CASES.

========== Fire Fighting Measures ==============

Flash Point: NOT FLAMMABLE

Extinguishing Media:CO2, DRY CHEMICAL

Fire Fighting Procedures: SELF-CONTAINED AIR SUPPLY. ACID RESISTANT CLOTHING. USE WATER TO COOL FIRE-EXPOSED CONTAINERS. MOVE AWAY FROM FIRE RISK. STAY AWAY FROM ENDS OF TANKS.

Unusual Fire/Explosion


Hazard: CAN CAUSE FIRE ON CONTACT W/FLAMMABLE

MATERIAL. IF MAY IGNITE COMBUSTIBLE MATERIALS. MIXING W/FUELS MAY

CAUSE EXPLOSIONS & EXPLODE IN HEAT OF FIRE.

========= Accidental Release Measures =============

Spill Release Procedures:STOP THE SOURCE. ISOLATE & REMOVE ANY LEAKING CYLINDER. PLACE IN A HOOD. COVER LIQUID SPILL W/AN EXCESS OF SODIUM BICARBONATE, MIX SPRAY W/WATER FROM AN ATOMIZER, THEN FLUSH MIX TO A HOLDING TANK FOR DISPOSAL. DIKE FOR CONTAINMEN



POISON & CLASSED AS A HAZARDOUS SUBSTANCE, OXIDIZER, & POISON GAS,

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever.

xpressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.