View NSN Online: https://aerobasegroup.de/nsn/6810-00-754-2813

Product ID:TRICHLOROETHYLENE-E

MSDS Date:01/01/1985

FSC:6810

NIIN:00-754-2813

MSDS Number: BFNNN === Responsible Party ===

Company Name: DOW CHEMICAL U.S.A.

Address:2020 DOW CENTER

City:MIDLAND

State:MI

ZIP:48640-6030

Country:US

CAGE:96717

=== Contractor Identification ===

Company Name: DOW CHEMICAL CO

Address:100 LARKIN CENTER

Box:City:MIDLAND

State:MI ZIP:48674 Country:US

Phone:800-258-2436

CAGE:96717

======= Composition/Information on Ingredients ========

Ingred Name:TRICHLOROETHYLENE (SARA III)

CAS:79-01-6

RTECS #:KX4550000 Fraction by Wt: >95%

OSHA PEL:100 PPM/100 STEL ACGIH TLV:50 PPM/100,A5STEL;93

EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name:1,2-BUTYLENE OXIDE (SARA III)

CAS:106-88-7

RTECS #:EK3675000 Fraction by Wt: 0.6% EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

=====

Effects of Overexposure:PROLONG/REPEATED EXPOS.TO LEVELS >100 PPM-POSSIBLE ORGANIC INJURY CAN CAUSE DEATH IF BREATHE TOO MUC
======================================
First Aid:EYES:IRRIGATE W/FLOWING WATER IMMED.& CONTIOUOUSLY FOR 15 MIN. REFER TO DR. SKIN: FLUSH WITH WATER. WASH CLOTHING BEFORE REUSE.;INHAL: REMOVE TO FRESH AIR IF EFFECTS OCCUR.; INGEST: DONOT INDUCE VOMIT . CALL DR.
= ====================================
Flash Point:NONE Extinguishing Media:WATER FOG Fire Fighting Procedures:PRESS. DEMANDS SELF-CONTAINES RESPIRATORY PROTECTION. Unusual Fire/Explosion Hazard:STRONG UNPLEASANT ODOR. NOT CONSIDERED A FLAMM. LIQUID UNDER NORM. INDUSTRIAL USE CONDITIONS.
======== Accidental Release Measures ==========
Spill Release Procedures:SMALL SPILLS: MOP,WIPE, OR SOAK UP IMMEDIATELY. REMOVE TO OUT OF DOORS.;LA RGE SPILLS:EVACUATE AREA.  CONATIN LIQUID; TRANSFER TO CLOSED METAL CONTAINERS. KEEP OUT OF WATER SUPPLY.
======================================
Handling and Storage Precautions:HANDLE W/ REASONABLE CARE. AVOID BREATHING VAPORS. STORE IN COOL PLACE. VAPORS WILL COLLECT IN LOW PLACES.  Other Precautions:HEALTH HAZ. DATA(CONTIN): ORAL RAT- LC > 4 G/KG.; EYE: PAIN & IRRIT. BUT NO(OR ONLY MINOR) CORNEAL INJURY LIKELY; SKIN ABSORPTION:VERY LOW TOXI CITY-NOT A HAZARD
====== Exposure Controls/Personal Protection ========
Respiratory Protection:REQUIRED IN ABSENCE OF PROPER ENVIRONM. CONTROL; EMERGY:SELF-CONTN  Ventilation:RECOMMENDED CONTROL OF VAPORS TO SUGGESTED GUIDE.  Protective Gloves:RUBBER  Eye Protection:SAFETY GLASSES W/O S.SHLD  Other Protective Equipment:NONE REQUIED.  Supplemental Safety and Health  NOTE: EARLIER PUBLICATIONS INDICATED THIS MATERIAL HAD EXPLOSIVE LIMITS-THIS WAS AN ERROR IN A BASIC REFERENCE USE

======= Hazards Identification ===========

D BY THE TRADE/INDUSTRY.

======== Physical/Chemical Properties ==========

HCC:T4

Boiling Pt:B.P. Text:189F,87.2C

Vapor Pres:60 Vapor Density:4.53 Spec Gravity:1.46

Solubility in Water: 0.16/1000G

Appearance and Odor: COLORLESS LIQUID.

Percent Volatiles by Volume:100

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES STRONG BASES(CAUSTIC POTASH OR SODA) Stability Condition to Avoid:AVOID OPEN FLAMES,WELDING ARCS ,OR

HI-TEMP.SOURCES

Hazardous Decomposition Products:HYDROGEN CHLORIDE, SMALL AMOUNTS OF PHOSGENE/CHLO

======= Disposal Considerations ============

Waste Disposal Methods:SEND SOLVENT TO A RECLAIMER. IN SOME CASES, SMALL AMTS. MAY BE TRANSPORTED TO AN AREA WHERE IT CAN BE PLACED ON THE GROUND & ALLOWED TO EVAPORATE SAFELY IF LOCAL, STATE, & FEDERAL REGUL.

Disclaimer (provided with this information by the compiling agencies): This information is for mulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.