View NSN Online: https://aerobasegroup.de/nsn/5970-00-755-9003 STERLING GROUP (NU-BRITE CHEMICAL CO INC) --STERLING THERMOPOXY U-122; PRO.CODE:80-122 -- 5970-00-755-9003 Product ID:STERLING THERMOPOXY U-122;PRO.CODE:80-122 MSDS Date:03/11/1988 FSC:5970 NIIN:00-755-9003 **MSDS Number: BFNPN** === Responsible Party === Company Name: STERLING GROUP (NU-BRITE CHEMICAL CO INC) Address:NINE OHIO RIVER BLVD City:SEWICKLEY State:PA ZIP:1 5143-2199 Country:US Info Phone Num:412-766-7600 Emergency Phone Num:412-766-7600 Preparer's Name:MARK DUBOIS CAGE:LO908 === Contractor Identification === Company Name:NU-BRITE CHEMICAL CO INC, STERLING GROUP Address:NINE OHIO RIVER BLVD Box:City:SEWICKLEY State:PA ZIP:15143-2199 Country:US Phone:CHEMTREC 800-424-9300 CAGE:78580 Company Name: STERLING GROUP (NU-BRITE CHEMICAL CO INC) Address:NINE OHIO RIVER BLVD City:SEWICKLEY State:PA ZIP:15143-2199 Country:US Phone:412-766-7600 CAGE:LO908

====

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III) CAS:1330-20-7 RTECS #:ZE2100000 Fraction by Wt: 20-30% OSHA PEL:100 PPM/150 STEL ACGIH TLV:100 PPM/150STEL;9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:OTHER COMPONENTS(NOT SPECIFIED) Fraction by Wt: BALANCE

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic: ACUTE:IRRITATION OF EYES,SKIN,RESPIRATORY OR G.I. TRACTS;MAY CAUSE REDNESS,TEARING & BLURRED VISION;HEADACHE,DIZZINESS,INCOORDINATION,NAUSEA,LOSS OF CONSCIOUSNESS,ANESTHETIC. CHRONIC:DERMATITIS,LUNG DAMAGE,CNS EFFECTS,DEFATTING OF SKIN.(BRAIN DAMAGE POSSIBLE.) Effects of Overexposure:SEE HEALTH HAZARDS DATA. Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE WORSEN(RESPIRATORY DISORDERS).

First Aid:INHALATION:REMOVE TO FRESH AIR;CONSULT A PHYSICIAN AT ONCE. SKIN & EYES:FLUSH WITH PLENTY OF WATER FOR ABOUT 15 MINUTES;SEEK MEDICAL ATTENTION IMMEDIATELY. INGESTION:DO NOT INDUCE VOMITING,CALL A PHYS ICIAN IMMEDIATELY.

Flash Point Method:SCC Flash Point:78F/25.6C Lower Limits:1.0 Upper Limits:7.0 Extinguishing Media:FOAM,CO*2,DRY CHEMICAL,WATER FOG Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA I N AN ENCLOSED AREA. Unusual Fire/Explosion Hazard:AVOID EXTREME HEAT,VAPORS MAY FORM AN EXPLOSIVE MIXTURE IN AIR.

Spill Release Procedures: USE PROPER PERSONAL PROTECTION; REMOVE ALL IGNITION SOURCES; USE SUITABLE INERT ABSORBENT MATERIAL AND RECOVER IN A CLOSED CONTAINER.

Handling and Storage Precautions:STORE IN COOL, DRY AND WELL VENTILATED

AREA.KEEP AWAY FROM HEAT,OPEN FLAMES OR SPARKS;KEEP CONTAINERS CLOSED WHEN NOT IN USE.

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS/MIST IF ABOVE TLV/PEL OR SCBA IN AN ENCLOSED AREA. Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV Protective Gloves:NEOPRENE,RUBBER Eye Protection:FACE SHIELD OR CHEMICAL GOGGLES Other Protective Equipment:APRON,EYE-WASH & SAFETY SHOWER Work Hygienic Practi ces:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE VAPORS/MIST;WASH THOROUGHLY AFTER EACH USE. Supplemental Safety and Health

HCC:F3 Boiling Pt:=138.3C, 281.F Vapor Pres:21 Vapor Density:>1.0 Spec Gravity:0.9 Evaporation Rate & amp; Reference: