

SHERWIN INCORPORATED -- D100NF (D101NF) DEVELOPER -- 6850-00-782-2740

===== Product Identification =====

Product ID:D100NF (D101NF) DEVELOPER

MSDS Date:01/01/1987

FSC:6850

NIIN:00-782-2740

Kit Part:Y

MSDS Number: BFPNR

=== Responsible Party ===

Company Name:SHERWIN INCORPORATED

Address:5530 BORWICK AVE

City:SOUTH GATE

State:CA

ZIP:90280-7402

Country:US

Info Phone Num:213-861-6324

Emergency Phone

Num:213-861-6324

CAGE:EO073

=== Contractor Identification ===

Company Name:SHERWIN INC.

Address:5530 BORWICK AVE.

City:SOUTH GATE

State:CA

ZIP:90280-7402

Country:US

Phone:562-861-6324/FAX 923-8370

CAGE:21405

Company Name:SHERWIN INCORPORATED

Address:5530 BORWICK AVENUE

Box:City:SOUTH GATE

State:CA

ZIP:90280

Country:US

Phone:562-861-6324

CAGE:EO073

===== Composition/Information on Ingredients =====

Ingred Name:MAGNESIUM SILICATE (10-20%)

Fraction by Wt: 15.0%

ACGIH TLV:NOT SPE

CIFIED

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)

CAS:71-55-6

RTECS #:KJ2975000

OSHA PEL:350 PPM/450 STEL

ACGIH TLV:350 PPM/450STEL;9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ozone Depleting Chemical:1

Ingred Name:ISOBUTANE (66% BY VOLUME APPROX) AS PROPELLANT (PER MFR)

CAS:75-28-5

RTECS #:TZ4300000

=====  
Hazards Identification  
=====

Effects of Overexposure:EYES:MILD  
IRRITATION.SKIN:IRRITATION,DERMATITIS.INHAL:CNS  
DEPRESSION  
,ANESTHETIC EFFECTS.

=====  
First Aid Measures  
=====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O\*2 IF  
NEED;EYES/SKIN:FLUSH W LG AMTS H\*20 FOR 15 MIN;INGEST:RINSE MOUTH;  
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER  
SYMPTOMS OF OVEREXPOSURE.

=====  
Fire Fighting Measures  
=====

Flash Point:NONE  
Lower Limits:7.5  
Upper Limits:15  
Extinguishing Media:WATER FOG  
Fire Fighting Procedures:USE NIOSH  
APPROVED SCBA FOR FIREFIGHTING  
Unusual Fire/Explosion Hazard:VAPORS DECOMPOSE TO HAZARDOUS PRODUCTS AT  
HIGH TEMPERATURES.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:USE PROPER PERSONAL PROTECTIVE EQUIPMENT.DIKE  
AREA.USE ABSORBENT MATERIAL AND RECOVER IN AN APPROVED CONTAINER  
FOR DISPOSAL.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN COOL,DRY PLACE.PROVIDE  
ADEQUAT

E VENTILATION.KEEP CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions:AVOID SKIN AND EYES CONTACT.DO NOT BREATH VAPORS.USE  
PROPER PERSONAL PROTECTIVE EQUIPMENT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED RESPIRATOR,OR SCBA IN  
CONFINED AREAS.

Ventilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN