

FOOTE MINERAL CO -- LITHIUM BROMIDE -- 6810-00-797-8619

===== Product Identification =====

Product ID:LITHIUM BROMIDE

MSDS Date:10/17/1996

FSC:6810

NIIN:00-797-8619

MSDS Number: BFPXL

=== Responsible Party ===

Company Name:FOOTE MINERAL CO

Address:RT 100

City:EXTON

State:PA

ZIP:19341

Country:US

Info Phone Num:215-889-9605

Emergency Phone Num:215-363-6500

Preparer's Name:D. B. COGHLAN

CAGE:07660

==

= Contractor Identification ===

Company Name:CHEMETALL FOOTE CORPORATION

Address:348 HOLIDAY INN DR

Box:City:KINGS MOUNTAIN

State:NC

ZIP:28086

Country:US

Phone:704-739-2501

CAGE:07660

===== Composition/Information on Ingredients =====

Ingred Name:LITHIUM BROMIDE

CAS:7550-35-8

RTECS #:OJ5755000

Fraction by Wt: >99%

Other REC Limits:5MG/CUM AS N DUST

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 MOUSE =1680MG/KG

Reports of Carcino

genicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:AT HIGHER LEVEL CONCENTRATION  
MAY CAUSE TREMOR,DIARRHEA,VOMITING OR EFFECT CNS CAUSE DROWSINESS  
OR HYPERTENSION. CHRONIC:NOT KNOWN.

Effects of Overexposure:SKIN OR LUNG IRRITATION ARE THE FIRST SYMPTOMS  
OF OVEREXPOSURE.AT HIGHER CONCENTRATION MAY CAUSE TREMOR,DIARRHEA,  
VOMITING OR EFFECT THE CNS CAUSING DROWSINESS OR HYPERTENSION.

Medical Cond Aggravated by Exposure:NOT KNOWN

=====  
First  
Aid Measures =====

First Aid:SKIN:WASH WITH SOAP AND WATER. EYES:FLUSH EYES THOROUGHLY  
WITH POTABLE WATER FOR 15 MINUTES. INHALATION:REMOVE TO FRESH  
AIR,SEEK MEDICAL ATTENTION.

=====  
Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:NONE NOTED. NOT FLAMMABLE

Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED  
AREA.

Unusual Fire/Explosion Hazard:NONE NOTED

=====  
Accidental Release  
Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;SWEEP UP OR  
VACUUM AND RECOVER FOR PROPER DISPOSAL.

=====  
Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED  
AREA. KEEP CONTAINER TIGHTLY CLOSED.AVOID MOISTURE.KEEP AWAY FROM  
EXTREME HEAT.

Other Precautions:NONE

=====  
Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSH

A APPROVED RESPIRATOR FOR DUST IF ABOVE TLV.

Ventilation:LOCAL OR MECHANICAL EXHAUST.

Protective Gloves:IMPERVIOUS OR CHEMICAL RESISTANT

Eye Protection:CHEMICAL GOGGLES

Other Protective Equipment:FULL LENGTH CLOTHING,FOR SKIN PROTECTION.

Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN:DO NOT BREATHE DUST.WASH THOROUGHLY AFTER EACH USE.

Supplemental Safety and Health  
NONE

===== Physical/Chemical Properties =====

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:102  
0F,549C

Spec Gravity:3.464

Appearance and Odor:WHITE CRYSTALS, COLORLESS

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE NOTED

Stability Condition to Avoid:EXTREME HEAT

Hazardous Decomposition Products:NONE NOTED

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.