View NSN Online: https://aerobasegroup.de/nsn/6810-00-797-8619 FOOTE MINERAL CO -- LITHIUM BROMIDE -- 6810-00-797-8619 ============ Product Identification ========================= Product ID:LITHIUM BROMIDE MSDS Date:10/17/1996 FSC:6810 NIIN:00-797-8619 MSDS Number: BFPXL === Responsible Party === Company Name: FOOTE MINERAL CO Address:RT 100 City:EXTON State:PA ZIP:19341 Country:US Info Phone Num:215-889-9605 Emergency Phone Num:215-363-6500 Preparer's Name: D. B. COGHLAN CAGE:07660 = Contractor Identification === Company Name: CHEMETALL FOOTE CORPORATION Address:348 HOLIDAY INN DR Box:City:KINGS MOUNTAIN State:NC ZIP:28086 Country:US Phone:704-739-2501 CAGE:07660 ======= Composition/Information on Ingredients ======== Ingred Name:LITHIUM BROMIDE CAS:7550-35-8 RTECS #:OJ5755000 Fraction by Wt: >99% Other REC Limits:5MG/CUM AS N DUST ============= Hazards Identification ========================

LD50 LC50 Mixture:LD50 MOUSE =1680MG/KG

Reports of Carcino

genicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:AT HIGHER LEVEL CONCENTRATION MAY CAUSE TREMOR, DIARRHEA, VOMITING OR EFFECT CNS CAUSE DROWSINESS OR HYPERTENSION. CHRONIC:NOT KNOWN. Effects of Overexposure: SKIN OR LUNG IRRITATION ARE THE FIRST SYMPTOMS OF OVEREXPOSURE.AT HIGHER CONCENTRATION MAY CAUSE TREMOR, DIARRHEA, VOMITING OR EFFECT THE CNS CAUSING DROWSINESS OR HYPERTENSION. Medical Cond Aggravated by Exposure: NOT KNOWN ======== First Aid Measures =========== First Aid:SKIN:WASH WITH SOAP AND WATER. EYES:FLUSH EYES THOROUGHLY WITH POTABLE WATER FOR 15 MINUTES. INHALATION: REMOVE TO FRESH AIR.SEEK MEDICAL ATTENTION. ============ Fire Fighting Measures ========================= Flash Point:NONE Extinguishing Media: NONE NOTED. NOT FLAMMABLE Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED AREA. Unusual Fire/Explosion Hazard: NONE NOTED ======= Accidental Release Measures ========= Spill Release Procedures: USE PROPER PERSONAL PROTECTION; SWEEP UP OR VACUUM AND RECOVER FOR PROPER DISPOSAL. ============ Handling and Storage =========================== Handling and Storage Precautions: STORE IN COOL, DRY AND WELL VENTILATED AREA. KEEP CONTAINER TIGHTLY CLOSED.AVOID MOISTURE.KEEP AWAY FROM

EXTREME HEAT.

Other Precautions: NONE

====== Exposure Controls/Personal Protection ========

Respiratory Protection: USE NIOSH/MSH

A APPROVED RESPIRATOR FOR DUST IF ABOVE TLV. Ventilation:LOCAL OR MECHANICAL EXHAUST. Protective Gloves: IMPERVIOUS OR CHEMICAL RESISTANT Eye Protection: CHEMICAL GOGGLES Other Protective Equipment: FULL LENGTH CLOTHING, FOR SKIN PROTECTION. Work Hygienic Practices: AVOID CONTACT WITH EYES AND SKIN: DO NOT BREATHE DUST.WASH THOROUGHLY AFTER EACH USE. Supplemental Safety and Health NONE ======== Physical/Chemical Properties ============ HCC:N1 Melt/Freeze Pt:M.P/F.P Text:102 0F,549C Spec Gravity: 3.464 Appearance and Odor: WHITE CRYSTALS, COLORLESS ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES NONE NOTED Stability Condition to Avoid: EXTREME HEAT Hazardous Decomposition Products: NONE NOTED ======= Disposal Considerations =========== Waste Disposal Methods: DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this i nformation by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever. expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.