

VARFLEX CORPORATION -- SYNTHOLVAR SHH -- 5970-00-802-5030

=====  
Product Identification  
=====

Product ID:SYNTHOLVAR SHH

MSDS Date:01/01/1987

FSC:5970

NIIN:00-802-5030

MSDS Number: BFQBQ

=== Responsible Party ===

Company Name:VARFLEX CORPORATION

Emergency Phone Num:(315) 336-4400

CAGE:79074

=== Contractor Identification ===

Company Name:VARFLEX CORPORATION

Address:512 WEST COURT STREET

Box:City:ROME

State:NY

ZIP:13440

Country:US

Phone:315-336-4400

CAGE:79074

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PLASTICIZED POLYVINYL CHLORIDE RESIN

Ingred Name:ADDITIVES(TYPE NO SPECIFIED)

Fraction by Wt: 0.5%

=====  
Hazards Identification  
=====

Effects of Overexposure:NONE STATED BY MFR (NONE NEEDED TO LIST)

=====  
First Aid Measures  
=====

First Aid:NONE NEEDED/NONE STATED BY MFR.

=====

=====  
Fire Fighting Measures  
=====

Flash Point:NONE

Extinguishing Media:WATER

Fire Fighting Procedures:IN FIRES,USE APPRVD SCBA.USE WATER FOG TO  
REDUCE DENSE SMOKE

Unusual Fire/Explosion Hazard:AT/ABOVE 550F,EMITS HCL GAS DURING  
COMBUSTION

=====  
Accidental Release Measures  
=====

Spill Release Procedures:COLLECT PIECES OF OR UNUSED INSULATION & PLACE  
IN CONTAINER FOR DISPOSAL

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE OUT OF DIRECT SUNLIGHT & BELOW  
70F.

Other Precautions:WASH & SHOWER AT THE END OF WORKDAY.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NONE SHOULD BE NEEDED

Ventilation:NORMAL ROOM VENTILATION.

Protective Gloves:NONE

Eye Protection:NONE

Other Protective Equipment:NONE

Supplemental Safety and Health

MSDS FROM VARFLEX CORPORATION DATED:10/85; SPEC REF:MIL-I-631D;MFR P/N  
"SYNTHOLVAR SH

H" I/A/W QPL-631-65 FOR TYPE F,FORM U,SUBFORM  
UA,GRADE C,CLASS 1, CATAGORY 1,OF MIL-I-631D.

=====  
Physical/Chemical Properties  
=====

HCC:N1

Spec Gravity:1.30

Solubility in Water:NEGLIGIBLE

Appearance and Odor:WHITE FLEXIBLE SYNTHETIC RESIN.VERY MILD ODOR

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:EXCESSIVE HEAT OVER 400F

Hazardous Decomposition Products:COMBUS

TION WILL PRODUCE HCL GAS

===== Disposal Considerations =====

Waste Disposal Methods:COMPLY WITH APPLICABLE LOCAL,STATE & FEDERAL LAWS & REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.