

3M CO.,AC&S DIV -- SCOTCH 1300L ADHESIVE -- 8040-00-809-8252

=====
Product Identification
=====

Product ID:SCOTCH 1300L ADHESIVE

MSDS Date:01/01/1987

FSC:8040

NIIN:00-809-8252

MSDS Number: BFQGZ

=== Responsible Party ===

Company Name:3M CO.,AC&S DIV

Address:3M CTR 224-2S-25

City:ST. PAUL

State:MN

ZIP:55144-1000

Country:US

Info Phone Num:612-733-1341

Emergency Phone Num:612-733-1341

CAGE:04963

===

Contractor Identification ===

Company Name:3M MINNESOTA MINING AND MFG CO ADHESIVES SEALERS DIV

Address:3M CTR

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:800-364-3577/651-737-6501(24 HOURS)

CAGE:04963

Company Name:MINNESOTA MINING AND MFG CO, DBA 3M

Address:3M CENTER BLDG 224-5S-04

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:866-556 5712 / 612-733-1110

CAGE:76381

=====
Composition/Information on Ingredients
=====

Ingred Name:PETROLEUM DIST

ILLATES (NAPHTHA OR RUBBER SOLVENT)

CAS:8002-05-9

RTECS #:SE7449000

Fraction by Wt: 42.0%

OSHA PEL:400 PPM

ACGIH TLV:400 PPM; 8990

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS:78-93-3

RTECS #:EL6475000

Fraction by Wt: 23%

OSHA PEL:200 PPM/300 STEL

ACGIH TLV:200 PPM/300STEL 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 5.0%

OSHA PEL:200 PPM/150 STEL

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1000 LBS

D

OT Rpt Qty:1000 LBS

Ingred Name:PHENILIC COMPOUND(RESIN)

Ingred Name:B-CHLOROPRENE (SARA III)

CAS:126-99-8

RTECS #:EI9625000

OSHA PEL:S; 25 PPM

ACGIH TLV:S; 10 PPM; 9293

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

=====
===== Hazards Identification =====

Effects of Overexposure:EYE-IRRIT.SKN-MAY DEFAT AFTER REPEAT
CONT.INHAL-RESP.SYS.IRRIT.IF INGEST&ASPIR INTO LUNGS-CHEM PNEUM

=====
===== First Aid Measures =====

First Aid:EYES:FLUSH W

/WATER FOR 10 MIN,CALL MD.SKIN:WASH
W/SOAP&WATER.INHAL:PROVIDE FRESH AIR.INGEST:DO NOT INDUCE
VOMITING!CALL MD.

===== Fire Fighting Measures =====

Flash Point:-14 F CC
Lower Limits:1.0
Upper Limits:11.5
Extinguishing Media:CO*2,FOAM,DRY CHEM
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:EXTINGUISH ALL IGNITION SOURCES. COLLECT
SPILLED M
ATL. CLEAN UP RESIDUE & STORE IN CLOSED METAL CNTNR.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, SPARKS, FLAMES.
KEEP CNTNRS CLOSED. VAPORS GIVEN OFF ARE EASILY IGNITED. USE ONLY
IN AREAS ADEQUATELY VENT, NO VAPOR BUILDUP.
Other Precautions:AVOID EYE CNTCT. AVOID PROLONGED BRTHNG OF VAPORS &
PROLONGED/REPEATED SKIN CNTCT. KEEP OUT OF REACH OF CHILDREN.
PREVENT VAPOR BUILDUP, USE ONLY IN AREAS W/ADEQUA
TE VENT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPRVD IF VENT NOT ADEQUATE TO
REMOVE VAPORS
Ventilation:LOCAL EXHST
Protective Gloves:NEOPRENE
Eye Protection:CHEM GOGGLES
Supplemental Safety and Health
CHLOROPRENE POLYMER,PHENOLIC RESIN,MAGNESIUM OXIDE,SODIUM ACETATE AND
ZINC OXIDE ARE APPROXIMATELY 30% OF PRODUCT.

===== Physical/Chemical Properties =====

HCC:F2
Boiling Pt:B.P. Text:140 F

Vapor Pres:120

Vapor Density:3

Spec Gravity:0.88

Evaporation Rate & Reference:>2.5 ETHER

Solubility in Water:SLIGHT

Appearance and Odor:YELLOW LOW VISCOSITY LIQUID,SOLVENT ODOR

Percent Volatiles by Volume:70.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:CO, CO*2, CHLORINATED DECOMP PROD

===== Disposal Considerations =====

Waste Disposal Methods:SEND TO NEARE

ST HAZ WASTE MANAGEMENT FACILITY

FOR INCINERATION. DO NOT LANDFILL. BASED ON FLASH POINT CRITERIA,
IGNITABILITY, DISCARDED & OFF-SPEC PROD WOULD HAVE EPA HAZ WASTE NO
OF D-001 AS DEFINED IN 40CFR, PART 261.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.