View NSN Online: https://aerobasegroup.com/nsn/8040-00-810-5414

Product ID:EA 934 PART B MSDS Date:01/01/1985

FSC:8040

NIIN:00-810-5414

MSDS Number: BFQHZ === Responsible Party ===

Company Name: DEXTER CORPORATION, HYSOL DIV.

Emergency Phone Num:415-687-4201

CAGE:79436

=== Contractor Identification ===

Company Name: DEXTER CORP DEXTER ELECTRONIC MATERIALS

Addr

ess:15051 E DON JULIAN RD

Box:City:INDUSTRY

State:CA

ZIP:91746-1282 Country:US

Phone:626-968-6511

CAGE:79436

Company Name: DEXTER CORP THE DEXTER ELECTRONIC MATERIAL DIV

Address:211 FRANKLIN ST.

Box:City:OLEAN

State:NY

ZIP:14760-1297 Country:US

Phone:716-372-6300/6309

CAGE:04347

======= Composition/Information on Ingredients ========

Ingred Name:POLYMIDE Fraction by Wt: 87.0%

Ingred Name: DIETHYLENE TRIAMINE

CAS:111-40-0

RTECS #:IE1225000 Fraction by Wt: 13.0% OSHA PEL:1 PPM

ACGIH

=========== Hazards Identification =============
Effects of Overexposure:CAUSES SEVERE EYE BURNS. MAY CAUSE SKIN SENSITIZATION OR OTHER ALLERGIC RESPONSES.
======================================
First Aid:WASH SKIN IMMEDIATELY WITH SOAP AND WATER. FLUSH EYES WITH WATER FOR AT LEAST 15 MIN. GET DOCTOR.
======================================
Flash Point:> 200 F, 93C TC Extinguishing Med ia:CHEMICAL FOAM, DRY CHEMICALS CO*2 Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NONE
·
======================================
Spill Release Procedures:REMOVE EXCESS. SCRUB WITH 5 PERCENT ACETIC ACID TO EMULSIFY. RINSE WITH VERY HOT WATER.
=========== Handling and Storage ============
Other Precautions:ANSI CLASSIFICATION 4
====== Exposure Controls/Personal Protection ========
Ventilation:LOCAL EXHAUST RECOM MENDED
Protective Gloves:RUBBER
Eye Protection:SAFETY GLASSES/GOGGLES Other Protective Equipment:SPECIAL EYE WASH FOUNTAIN Supplemental Safety and Health
======== Physical/Chemical Properties =========
HCC:N1 Boiling Pt:B.P. Text:DECOMPOSES Spec Gravity:0.96 Solubility in Water:SLIGHT Appearance and Odor:AMBER LIQUID WITH AMMONICAL ODOR
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES Hazardous Decomposition P

TLV:S, 1 PPM; 9192

roducts:COMPOUNDS OF CARVON AND NITROGEN

======= Disposal Considerations ===========

Waste Disposal Methods: CONTROLLED BURNING OR BURIAL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.