

ELECTRIC CO. CAPACITOR PROD.DEPT. -- 49F621 -- 5910-00-811-7946

=====
Product Identification
=====

Product ID:49F621
MSDS Date:01/01/1985
FSC:5910
NIIN:00-811-7946
MSDS Number: BFQLD

=== Responsible Party ===

Company Name:ELECTRIC CO. CAPACITOR PROD.DEPT.

Address:JOHN ST
City:HUDSON FALLS
State:NY

ZIP:12839

Country:US

CAGE:MO016

=== Contractor Identification ===

Company Name:ELECTRIC CO. CAPACITOR
PROD.DEPT.

Address:JOHN ST
Box:City:HUDSON FALLS
State:NY

ZIP:12839

Country:US

CAGE:MO016

Company Name:GENERAL ELECTRIC CO CAPACITOR PRODUCTS DEPARTMENT

Address:JOHN ST
Box:City:HUDSON FALLS
State:NY

ZIP:12839

Country:US

Phone:518-746-5750

CAGE:01002

=====
Composition/Information on Ingredients
=====

Ingred Name:POLYCHLORINATED BIPHENYLS (PCBS) (SARA III)

CAS:1336-36-3

RTECS #:TQ1350000

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

=====
Hazards Identification
=====

=====

Effects of Overexposure:ABSORBED THRU SKIN,LUNGS,INTESTINE.CAUSES
CANCER,LIVER,KIDNEY,STOMACH,EYE,HEARING DISORDER(SUP DATA)

===== First Aid Measures =====

First Aid:EYES:FLUSH W/WATER IMMED.SKIN:WASH W/SOAP IMMED.INHAL:REMOVE
TO FRESH AIR.GIVE ART.RESPIR. AS NEEDED.INGEST:GET MEDICAL
ATTN.GIVE LARGE QTY OF SALT WATER,INDUCE VOMITING,BUT DO NOT MAKE
UNCONSCIOUS PE RSON VOMIT.

===== Accidental Release Measures

=====

Spill Release Procedures:USE ABSORBENT & DIKES TO PREVENT
RUNOFF.ISOLATE & NOTIFY PROPER AUTHORITIES.

===== Handling and Storage =====

Handling and Storage Precautions:STORAGE MUST FOLLOW RCRA REQUIREMENTS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SUPPLIED AIR W/FULL FACEPIECE,HELMET OR HOOD

Ventilation:LOCAL EXHAUST

Protective Gloves:RUBBER-IMPERV

Eye Protection:GOGGLES FACE SHIELD

Other Protective Equipment:FULL CLOTHING TO PREVENT SKIN CONTACT

Supplemental Safety and Health

OVEREXPOS:CAN CAUSE FORMATION OF CYSTS.CAUSES STILLBIRTHS.IRRITATES
EYES,NOSE,THROAT.

===== Physical/Chemical Properties =====

Appearance and Odor:LIGHT STRAW COLORED LIQUID,AROMATIC ODOR

===== Stability and Reactivity Data =====

STRONG OXIDIZERS

===== Disposal Considerations =====

Waste Disposal Methods:C

CONTROLLED DISPOSAL REQUIRED-GENERALLY HIGH
TEMPERATURE INCINERATION. ONLY APPROVED DISPOSAL OPERATOR PERMITTED.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professio
nal advice to verify and
assume responsibility for the suitability of this information to their
particular situation.