

3M COMPANY-ELECTRICAL PRODUCTS DIVISION -- SCOTCHCAST 226 ELECTRICAL RESIN, PART A
-- 8040-00-819-7270

===== Product Identification =====

Product ID:SCOTCHCAST 226 ELECTRICAL RESIN, PART A
MSDS Date:10/22/1985
FSC:8040
NIIN:00-819-7270
MSDS Number: BFQTK
=== Responsible Party ===
Company Name:3M COMPANY-ELECTRICAL PRODUCTS DIVISION
Address:3M CENTER
City:ST PAUL
State:MN
ZIP:55144-1000
Country:US

Emergency Phone Num:612-733-1110

CAGE:75037

=== Contractor Identification ===

Company Name:MINNESOTA MINING AND MFG CO ELECTRICAL PRODUCTS DIV
Address:3M AUSTIN CTR
Box:City:AUSTIN
State:TX
ZIP:78769-2963
Country:US
Phone:512-984-1800
CAGE:75037

===== Composition/Information on Ingredients =====

Ingred Name:METHYLENE BISPHENYL ISOCYANATE (MDI) (SARA III)
CAS:101-68-8
RTECS #:NQ9350000
Fraction by Wt: 50%.
Other REC Limits:0.005 PPM
OSHA PEL:C, 0.02 PPM
ACGIH TLV:0.005 PPM;

9192
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:POLYMERIC DIPHENYLMETHANE DIISOCYANATE (MDI-PREPOLYMER)(WT%
RANGE 45-55%)
CAS:9016-87-9
Fraction by Wt: 50%.

Ingred Name:PHENYL ISOCYANATE (WT% RANGE 0-0.1%)
CAS:103-71-9
RTECS #:DA3675000
Fraction by Wt: 0.1%
Other REC Limits:NONE

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chron
ic:POSSIBLY CAUSE SENSITIZATION OR
ALLERGIC REACTIONS.

Effects of Overexposure:PART A OR MIXTURE A/B: EYE: SEVERE IRRITANT,
TEARS, REVERSIBLE CORNEAL DAMAGE SKIN: REACTS W/SKIN PROTEIN &
MOISTURE, CAUSES IRRIT, DISCOLORATION, REDDENING, BLISTERS,
SENSITIZER. INHL: A OR A/B MIX-URT IRRIT,
COUGH, DYSPNEA, DISCOMFORT, DISTRESS, ASTHMA, INGEST: A OR A/B- SEVERE
IRRIT MOUTH & GI TRACT.

Medical Cond Aggravated by Exposure: ANY PREEXISTING SENSITIVITY OR
ALLERGIC CONDITION.

===== First Aid Measures =====

First Aid:EYE:FLUSH 10 MINS. W/AMPLE WATER. SKIN:REMOVE CONTAMINATED
CLOTHING & WASH BEFORE REUSE. WASH SKIN W/SOAP & WATER. INHALE:
REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESP OR OXYGEN AS REQUIRED.
INGESTION: GIVE TWO GLASSES WATER IF CONSCIOUS. DO NOT INDUCE
VOMITING. CALL PHYSICIAN ALL CASES IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point Method:CC
Flash Point:>400F/204

C

Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL

Fire Fighting Procedures:USE SCBA PP MODE. DURING FIRE VAPORS ARE IRRITATING & HIGHLY TOXIC.

Unusual Fire/Explosion Hazard:ABOVE 400F, PRESSURE BUILDUP IN CLOSED CONTAINERS CAN CAUSE EXPLOSION.

===== Accidental Release Measures =====

Spill Release Procedures:FOLLOW ALL PRECAUTIONS GIVEN. WEAR SCBA PP MODE & BODY PROTECTION. POUR NEUTRALIZING AGENT OVER SPILL AREA AND REACT FOR 10 MIN.(USE WATER IF NEUTRALIZED SPILL W/ABSORBENT AND PLACE IN CLOSABLE CONTAINERS.

Neutralizing Agent:SOLUTION OF (1) CONC AMMONIA 8%; (2) LIQUID DETERGENT 2%; (3) WATER 90%.

===== Handling and Storage =====

Handling and Storage Precautions:USE ONLY IN WELL VENTILATED AREAS. AVOID EXCESS HEAT, IGNITION SOURCES. KEEP CONTAINERS CLOSED,STORE IN COOL DRY AREA. AVOID ALL MOISTURE & H2O VAPOR.

Other Precautions:DO NOT INHALE OR INGEST. AVOID EYE-SKN CONTACT. USE SAF OR SCBA RESPIRATOR PP MODE IF LOCAL EXHAUST NOT AVAILABLE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SUPPLIED AIR (PP MODE) RESP W/FULL FACEPIECE; OR SELF-CONTAINED BREATHING APPARATUS, PP MODE

Ventilation:LOCAL EXHAUST FOR MIX, USE & CURE AREAS.

Protective Gloves:IMPERVIOUS: RUBBER OR PVA

Eye Protection:CHEMICAL GOGGLES, FULL FACE SHIELD

Other Protective Equipment:NONE

Supplemental Safety and Health

PART A OF TWO-PART KIT. UPDATE

PER 3M MSDS DOC# 10-2588-1 DATED

22OCT85. 3M GENERIC IS#S ARE 80-180-040X-X AND 80-1300-XXXX-X.

===== Physical/Chemical Properties =====

HCC:N1

Vapor Pres:NEG

Vapor Density:8.5

Spec Gravity:1.24

Solubility in Water:REACTS!

Appearance and Odor:DARK BROWN LIQUID

Percent Volatiles by Volume:LOW

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

WATER, AMINES, STRONG BASES, ALCOHOLS.

Stability Condition t

o Avoid:EXCESS HEAT, IGNITION SOURCES

Hazardous Decomposition Products:CARBON & NITROGEN OXIDES, TRACES
HYDROGEN CYANIDE, DIPHENYLMETHANE DIISOCYANATE.

===== Disposal Considerations =====

Waste Disposal Methods:LANDFILL OR INCINERATE IAW ALL LAWS & REGS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.