

HOOKER CHEMICALS & PLASTICS CORP -- MURIATIC ACID, 20 BE -- 6810-00-823-8010

=====
Product Identification
=====

Product ID:MURIATIC ACID, 20 BE

MSDS Date:01/01/1987

FSC:6810

NIIN:00-823-8010

MSDS Number: BFRCP

=== Responsible Party ===

Company Name:HOOKER CHEMICALS & PLASTICS CORP

Address:75 RIVER RD

City:NUTLEY

State:NJ

ZIP:07110-3513

Country:US

Emergency Phone Num:800-424-9300(CHEMTREC)

CAGE:736

75

=== Contractor Identification ===

Company Name:HOOKER CHEMICALS & PLASTICS CORP.,DUREZ DIVISION

Box:728

CAGE:73675

Company Name:OMI INTERNATIONAL CORP

Address:75 RIVER RD

Box:City:NUTLEY

State:NJ

ZIP:07110-3513

Country:US

CAGE:04767

=====
Composition/Information on Ingredients
=====

Ingred Name:HYDROGEN CHLORIDE (HYDROCHLORIC ACID) (SARA III)

CAS:7647-01-0

RTECS #:MW4025000

Fraction by Wt: 31.5%

OSHA PEL:C 5 PPM

ACGIH TLV:C 5 PPM; 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000

=====
===== Hazards Identification =====
=====

LD50 LC50 Mixture:LD50 ORAL RABBIT IS 900MG/KG
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:**CORROSIVE** EYES:MAY CAUSE SEVERE
IRRITATION,BURNS AND POSSIBLE PERMANENT VISUAL IMPAIRMENT.SKIN:MAY
CAUSE SEVERE IRRITATION,BURNS AND ULCERATIONS.INGEST:MAY CAUSE
SEVERE GI TRACT IRRITATION.INHAL:M AY CAUSE SEVERE RESPI
RATORY
IRRITATION.CHRONIC:MAY DAMAGE LUNGS AND TEETH AND CAUSE DERMATITIS.
Explanation of Carcinogenicity:HYDROCHLORIC ACID IS CLASSIFIED
IARC-3(INSUFFICIENT EVIDENCE-HUMAN).
Effects of Overexposure:EYES/SKIN:CAUSE BURNS,IRRITN.DAMAGES EYE-
BLINDNESS;INHAL:IRRIT RESP TRACT;INGEST:IRRIT/BURNS GI
Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN OR
RESPIRATORY AILMENTS MAY BE AT INCREASED RISK FROM EXPOSURE.

=====
===== First Aid Measures =====
=====

First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH SOAP AND
WATER.GET MEDICAL ATTENTION.EYES:FLUSH WITH WATER FOR 15
MINUTES.GET MEDICAL ATTENTION.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN
OR ARTIFICIAL RESPIRAT ION IF NEEDED.GET MEDICAL
ATTENTION.INGEST:DO NOT INDUCE VOMITING.GET PROMPT QUALIFIED
MEDICAL ATTENTION.IF CONSCIOUS,GIVE WATER OR MILK OR MAGNESIA.

=====
===== Fire Fighting Measures =====
=====

Flash Point:NONE
Extinguishing Med
ia:EXTINGUISH WITH AGENT SUITABLE FOR SURROUNDING FIRE
Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND
FULL PROTECTIVE EQUIPMENT.COOL FIRE EXPOSED CONTAINERS WITH WATER
FOG.
Unusual Fire/Explosion Hazard:REACTS W/METALS TO EMIT H2 GAS WHICH MAY
FORM EXPLOSIVE MIXTURES WITH AIR.

=====
===== Accidental Release Measures =====
=====

Spill Release Procedures:ELIMINATE IGNITION SOURCES. STOP LEAK W/O
RISK. EVACUATE AREA. SM SPILL:ABSORB WITH INER

T ABSORBENT,FLUSH

AREA WITH WATER. LG SPILL:NEUTRALIZE WITH SODA ASH. FLUSH
NEUTRALIZED SOLUTION TO SEWER IN ACC ORDANCE WITH INTERNATIONAL
FED,STA, & LOCAL REGS.

Neutralizing Agent:SODA ASH

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED
AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP
CONTAINERS TIGHTLY CLOSED

Other Precautions:STORE AWAY FROM HNO3, CHLORATES & SULFID
ES.DO NOT
BREATHE VAP/MIST.AVOID SKIN/CLOTHING CONTACT.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHERE ENVIRONMENTAL CONTROLS ARE LACKING OR IN
ENCLOSED SPACES USE EITHER A SELF-CONTAINED BREATHING APPARATUS OR
A NIOSH/MSHA APPROVED RESPIRATOR FOR ACID GAS,DEPENDING ON THE
AIRBORN CONCENTRATION.

Ventilation:LOCAL VENTILATION AT THE WORKSITE;MECHANICAL(GENERAL)
VENTILATION TO MAINTAIN TLV/PEL.

Protective Gloves:RUBBER/NEOPREN

E
Eye Protection:GOGGLES/FACE SHIELD

Other Protective Equipment:FULL PROTECTIVE CLOTHING,SAFETY SHOWER,EYE
WASH STATION

Work Hygienic Practices:WASH HANDS.SEPERATE WORK CLOTHES FROM STREET
CLOTHES.LAUNDER WORK CLOTHES BEFORE REUSE.KEEP FOOD OUT OF THE WORK
AREA.

Supplemental Safety and Health

MSDS FM MFR DATED:10/76; SPEC REF: O-H-765C

=====
===== Physical/Chemical Properties =====

HCC:C1

Boiling Pt:B.P. Text:230F,110C

Spec Gravity:1.160

Solubility in Water:CO

MPLATE

Appearance and Odor: CLEAR, COLORLESS TO FAINT YELLOW LIQUID WITH A PUNGENT ODOR.

Percent Volatiles by Volume: 100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

OXIDIZERS, FLAMM LIQUIDS, MOST METALS & STRONG ALKALIS, NH₃

Stability Condition to Avoid: AVOID CONTACT W/METALS & SULFIDES.

Hazardous Decomposition Products: HCL GAS, H₂ & CL₂ GAS

===== Disposal Considerations =====

Waste Disposal Methods:

KEEP IN COVERED DRUMS, PENDING DISPOSAL. HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL, FEDERAL, STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing

this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.