

MAGNAFLUX DIV OF ILLINOIS TOOL WKS INC -- SKL-HF/S SPOTCHECK PENETRANT(SEE SUPP DATA) -- 6850-00-826-0981

===== Product Identification =====

Product ID:SKL-HF/S SPOTCHECK PENETRANT(SEE SUPP DATA)

MSDS Date:05/28/1986

FSC:6850

NIIN:00-826-0981

Kit Part:Y

MSDS Number: BFRJZ

=== Responsible Party ===

Company Name:MAGNAFLUX DIV OF ILLINOIS TOOL WKS INC

Address:3624 WEST LAKE AVENUE

City:GLENVIEW

Sta

te:IL

ZIP:60025

Country:US

Info Phone Num:847-657-5300 / 5338 (FAX)

Emergency Phone Num:847-657-5300/800-424-9300(CHEMTREC)

Preparer's Name:BRUCE C. GRAHAM (CHEMIST)

CAGE:KO362

=== Contractor Identification ===

Company Name:ILLINOIS TOOL WORKS INC MAGNAFLUX DIV

Address:3624 WEST LAKE AVENUE

Box:City:GLENVIEW

State:IL

ZIP:60025

Country:US

Phone:847-657-5300/

CAGE:37676

Company Name:MAGNAFLUX DIV OF ILLINOIS TOOL WKS INC

Address:3624 WEST LAKE AVENUE

City:GLENVIEW

State:IL

ZIP:60025

Country:US

Pho

ne:847-657-5300 / 5338 (FAX)

CAGE:KO362

=====  
Composition/Information on Ingredients  
=====

Ingred Name:DISTILLATES(PETROLEUM),CATALYTIC REFORMER FRACTIONATER  
RESIDUE,LOW BOILING

CAS:68477-31-6

Fraction by Wt: >85.0%

Ingred Name:KEROSENE

CAS:8008-20-6

RTECS #:OA5500000

Fraction by Wt: 10.0%

ACGIH TLV:100MG/CUM

Ingred Name:C.I. SOLVENT YELLOW 14 (SARA III)

CAS:842-07-9

RTECS #:QL4900000

Fraction by Wt: 01.0%

Ingred Name:CARBON DIOXIDE

CAS:124-38-9

RTECS #:FF6400000

Frac

tion by Wt: 1.0

Spec Gravity:0.97

Evaporation Rate & Reference:NOT KNOWN

Solubility in Water:NEGLIGIBLE

Appearance and Odor:DARK RED LIQUID BEFORE FILLING IN AEROSOL CANS.

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING MATERIAL.

Stability Condition to Avoid:HEAT,HIGH TEMPERATURES

Hazardous Decomposition Products:EMITS OXIDES OF CARBON AND NITROGEN.

=====  
Disposal Considerations  
=====

Waste Disposal Methods:INCINERATE OR DISPOSE OF AS EPA HAZARDOUS WASTE  
D001 (IGNITABLE WASTE),IN ACCORDANCE WITH ALL APPLICABLE  
FEDERAL,STATE,LOCAL REGULATIONS;EMPTY OUT AEROSOL CANS BEFORE  
DISPOSAL.PRESSURIZED AEROSOL CANS ARE NOT ACCEPTABLE WASTE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or impl

ied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.