

BEESTON, INC. -- EASY PULL WIRE PULLING LUBRICANT -- 9150-00-828-2358

=====  
Product Identification  
=====

Product ID:EASY PULL WIRE PULLING LUBRICANT

MSDS Date:01/01/1987

FSC:9150

NIIN:00-828-2358

MSDS Number: BFRMR

=== Responsible Party ===

Company Name:BEESTON, INC.

Box:1116

City:SCARBROUGH

State:ME

ZIP:04074

Country:US

Info Phone Num:207-883-5541

Emergency Phone Num:207-883-5541 CHEMTREC 800-424-9300

CAGE:LO373

=== Contractor Identification ===

Company Name:BEESTON

Address:540 DEERING AV

Box:1116

City:SCARBOROUGH

State:ME

ZIP:04074

Country:US

Phone:207-883-5541

CAGE:43728

Company Name:BEESTON, INC.

Box:1116

City:SCARBROUGH

State:ME

ZIP:04074

Country:US

Phone:207-883-5541

CAGE:LO373

=====  
Composition/Information on Ingredients  
=====

Ingred Name:MFR STATES "PRODUCT CONTAINS NO HAZARDOUS INGREDIENTS"

Fraction by Wt: 100%

=====  
Hazards Identification

=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:PRODUCT CONTAINS NO HAZARDOUS  
INGREDIENT.  
Effects of Overexposure:MFR LISTS NONE  
Medical Cond Aggravated by Exposure:NONE

===== First Aid Measures =====

First Aid:EYE: FLUSH WITH WATER. SKIN: WASH W SOAP & WATER.

===== Fire Fighting Measures =====

Flash Poin  
t:NONE  
Extinguishing Media:EXTINGUISH WITH MEDIA APPROPRIATE FOR SURROUNDING  
FIRE. DRIED FILM (WATER BASED EMULSION) IS SELF EXTINGUISHING  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP MATERIAL OR ABSORB ON INERT MATERIAL.  
FLOOR MAY BE SLIPPERY,APPLY SAWDUST,SAND,ETC.,TO REDUCE SLIPPING.  
Neutralizing Agent:NONE

===== Handling and Storage =====  
=====

Handling and Storage Precautions:NO SPECIAL PRECAUTIONS NECESSARY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE  
Ventilation:NORMAL ROOM VENTILATION  
Protective Gloves:NONE  
Eye Protection:SAFETY GLASSES  
Other Protective Equipment:NONE  
Work Hygienic Practices:USE NORMAL PERSONAL HYGIENE PRACTICES.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6  
Boiling Pt:B.P. Text:212F/100

C

Melt/Freeze Pt:M.P/F.P Text:32F/OC

Spec Gravity:8.3 LB/GAL

Solubility in Water:MISCIBLE W MIXING

Appearance and Odor:SOFT WHITE GEL, NO ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:NONE - PRODUCT IS INERT

Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE I/AW FEDERAL,STATE,LOCAL REGULATIONS.

PROD

UCT IS INERT AND BIODEGRADABLE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.