

CHEMRAY COATINGS CORPORATION -- TT-P-115E,TV2,PAINT,TRAFFIC,WHITE -- 8010-00-900-2938
===== Product Identification =====

Product ID:TT-P-115E,TV2,PAINT,TRAFFIC,WHITE
MSDS Date:01/01/1987
FSC:8010
NIIN:00-900-2938
MSDS Number: BFVKF
=== Responsible Party ===
Company Name:CHEMRAY COATINGS CORPORATION
Address:209 MICHIGAN AVE.
City:KENILWORTH
State:NJ
ZIP:07033
Country:US
Emergency Phone Num:201-245-1111
CAGE:OBRN9
=== Contractor Identification ===
Company Name:CHEMRAY COATING CORP
Address:209 N MICHIGAN AVE
Box:City:KENILWORTH
State:NJ
ZIP:07033
Country:US
Phone:201-245-1111
CAGE:33832
Company Name:CHEMRAY COATINGS CORP.
Address:209 N. MICHIGAN AVE.
Box:NA
City:KENILWORTH
State:NJ
ZIP:07033
Country:US
Phone:800-924-9300
CAGE:OBRN9

===== Composition/Information on Ingredients =====

Ingred Name:PIGMENTS (50 TO 53% OF PRODUCT)

Ingred Name:VINYL TOLVENE BUTADIENE (AS VEHIC

LE)(47 TO 50% OF PRODUCT)

Ingred Name:SOLVENTS (TYPE NOT SPECIFIED)(33 TO 34% OF PRODUCT)

Ingred Name:ADDITIVES (0.5 TO 1% OF PRODUCT)

=====
Hazards Identification
=====

Effects of Overexposure:INHALATION CAUSES DIZZINESS.

=====
First Aid Measures
=====

First Aid:INHALATION:MOVE TO FRESH AIR. EYE:IMMEDIATELY FLUSH W/WATER FOR AT LEAST 15 MIN.

=====
Fire Fighting Measures
=====

FI
ash Point:55 F PMCC
Extinguishing Media:CO*2
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:WIPE UP

=====
Handling and Storage
=====

Handling and Storage Precautions:DO NOT STORE AT TEMPERATURESOVER 150F BECAUSE OF EXPANSION OF CONTANER CONTENTS.
Other Precautions:DO NOT FREEZE. DOT CLASSIFICATION:COMBUSTIBLE. WASH HANDS THOROUGHLY AFTER HANDLING PRODUCT.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NIOSH/MSHA APPROVED RESP. PROT. FOR PARTICULAR EXP. OF CONCERN
Ventilation:USE MECHAICAL, PROVIDE ADEQUATE LOCAL EXHAUST.J
Eye Protection:GOGLES IF SPRAYING
Supplemental Safety and Health
PERCENT VOLATILE BY VOLUME: 57.5 TO 58.5%

=====
Physical/Chemical Properties
=====

HCC:F3
Boiling Pt:B.P. Text:320 F
Spec Gravity:1.29
Evaporation Rate & Reference:1

.2 TOLVENE

Appearance and Odor:WHITE PAINT, NOT OBNOXIOUS

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

===== Disposal Considerations =====

Waste Disposal Methods:NO UNUSUAL REQUIREMENTS. DISPOSE IN ACCORDANCE
W/LOCAL,STATE & FEDERA REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of De

fense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.