

H.B. FULLER COMPANY -- RESIWELD ADHESIVE,FE-004-9,PART A -- 8040-00-900-6296

=====
Product Identification
=====

Product ID:RESIWELD ADHESIVE,FE-004-9,PART A

MSDS Date:01/01/1987

FSC:8040

NIIN:00-900-6296

Kit Part:Y

MSDS Number: BFVLS

=== Responsible Party ===

Company Name:H.B. FULLER COMPANY

Emergency Phone Num:(312)358-9500

CAGE:9R359

=== Contractor Identification ===

Company Name:FULLER H B CO

Address:315 S HICKS RD

Box:City:PALATINE

State:IL

ZIP:60067-6940

Country:US

CAGE:7P551

Company Name:H.B. FULLER COMPANY-FOSTER PRODUCTS DIVISION

CAGE:9R359

=====
Composition/Information on Ingredients
=====

Ingred Name:LIQUID EPOXY RESIN (SPI HAZARD CLASS 2)

Fraction by Wt: 87%

Ingred Name:INERT FILLERS (UNKNOWN PERCENT)

Ingred Name:THIXOTROPIC AGENTS (UNKNOWN PERCENT)

=====
Hazards Identification
=====

Effects of Overexposure:MAY IRRITAT

E SKIN. AVOID EYE CONTACT.

=====
First Aid Measures
=====

First Aid:SKIN:WASH PROMPTLY W/MILD SOAP & WARM WATER. REMOVE
CONTAMINATED CLOTHING & WASH BEFORE RE-USE. EYE:IMMEDIATELY FLUSH
W/WATER FOR 15 MIN S& GET PROMPT MED. ATTN. INGEST:INDUCE VOMITING
& CALL A PHYSIC IAN.

=====
Fire Fighting Measures
=====

Flash Point:480F TOC

Extinguishing Media:CO*2, FOAM, DRY CHEMICAL

Fire Fighting Procedures:NONE

Unusual

Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP SPILL W/RAGS. RESIDUAL MAY BE CLEANED UP W/NON-FLAMMABLE SLVENTS LIKE METHYLENE CHLORIDE. (MFG REC).

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY PLACE AT 40F TO 80F.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY NEEDED.

Ventilation:USE LOCA EXHAUST.

Protective Gloves:NEOPRENE RUBBER

Eye Protection:SFTY GLASSES W/SIDE SHLDS

Other Protective Equipment:CLEAN PROTECTIVE CLOTHING.

Supplemental Safety and Health

ADDTNL EMERGENCY PHONE #(612)645-3401. PART A OF A TWO PART PRODUCT.KEY1:N1.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:1.

Spec Gravity:1.31

Appearance and Odor:CREAM COLORED,TYP.EPOXY ODOR,VISC.APPROX.30,000CPS

Percent Volatiles by Volume:0.5

=====

==== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:CO, CO*2, PHENOLICS & ALDEHYDES BY COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE W/LOCAL, STATE, & FEDERATION REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The

United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.