

STIC-ADHESIVE PRODUCTS CO. INC. -- TT-P-29,TYPE 1 -- 8010-00-901-8082

=====  
Product Identification  
=====

Product ID:TT-P-29,TYPE 1

MSDS Date:01/01/1987

FSC:8010

NIIN:00-901-8082

MSDS Number: BFVPM

=== Responsible Party ===

Company Name:STIC-ADHESIVE PRODUCTS CO. INC.

Emergency Phone Num:213-268-2956

CAGE:59142

=== Contractor Identification ===

Company Name:STIC-ADHESIVE PRODUCTS CO INC

Address:395

0 MEDFORD ST

Box:City:LOS ANGELES

State:CA

ZIP:90063-1675

Country:US

CAGE:59142

=====  
Composition/Information on Ingredients  
=====

Ingred Name:1-3-(CHLOROALLYL)-3,5,7-TRIAZA-L-AZONIAADAMANTANE CHLORIDE

CAS:4080-31-3

RTECS #:XX8450000

ACGIH TLV:200 PPM

Ingred Name:FORMALDEHYDE (SARA III)

CAS:50-00-0

RTECS #:LP8925000

OSHA PEL:SEE 1910.1048

ACGIH TLV:C 0.3 PPM; A2; 9293

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

=====  
Hazards Identification  
=====

==

Effects of Overexposure:IRRITATION OF EYES,NASAL PASSAGE,OR SKIN

=====  
===== First Aid Measures =====

First Aid:SKIN CONTACT-WASH WITH SOAP AND WATER. EYE CONTACT-FLUSH WITH COLD WATER. IF SWALLOWED,INDUCE VOMITING AND CALL PHYSICIAN.

=====  
===== Fire Fighting Measures =====

Fire Fighting Procedures:NONE

=====  
===== Accidental Release Measures =====

Spill Release Procedures:CLEAN UP WITH WATER BEFORE DRYING. SPRINKLE SODIUM CHLORIDE OR CALCIUM ON SPILL TO FACILITATE CLEAN UP.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:USE WITH ADEQUATE VENTILATION. STORE BETWEEN 40-100F. REMOVE FROM SKIN AS SOON AS PRACTICAL AFTER CONTACT.

Other Precautions:PIPELINES SHOULD BE FILLED AT ALL TIMES, OR THOROUGHLY RINSED AFTER USE. KEEP CONTAINERS TIGHTLY SEALED.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:MASK WORN TO PREVENT INHALATION OF SPRAY MIST OR HEATED VAPORS.

Ventilation:LOCAL AND OR MECHANICAL

Protective Gloves:RUBBER,PLASTIC

Eye Protection:SAFETY GLASSES OR GOGGLES

Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

HCC:N1

Solubility in Water:COMPLETE

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

=====  
===== Disposal Considerations =====

=====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH STANDARD PROCEDURES  
USED WITH LATEX PRODUCTS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent profes  
sional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.