

CONTINENTAL CHEMICAL CORP. -- WINDSHIELD CLEANER -- 6850-00-926-2275

=====  
Product Identification  
=====

Product ID:WINDSHIELD CLEANER

MSDS Date:01/01/1987

FSC:6850

NIIN:00-926-2275

MSDS Number: BFWVJ

=== Responsible Party ===

Company Name:CONTINENTAL CHEMICAL CORP.

Emergency Phone Num:812-235-8035

CAGE:23894

=== Contractor Identification ===

Company Name:CONTINENTAL CHEM CORP

Address:1330 BEECH S

TREET

Box:City:TERRE HAUTE

State:IN

Country:US

CAGE:23894

=====  
Composition/Information on Ingredients  
=====

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III)

CAS:67-56-1

RTECS #:PC1400000

Fraction by Wt: 90%.

OSHA PEL:S,200PPM/250STEL

ACGIH TLV:S,200PPM/250STEL; 93

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

=====  
Hazards Identification  
=====

Effects of

Overexposure:INGEST:HEADACHES,NAUSEA,VOMITING,BLINDNESS.LIQUID  
CAUSES EYE IRRITAT

ION.

=====  
First Aid Measures  
=====

First Aid:INGEST:INDUCT VOMIT.CALL DR. EYE:IMMEDIATELY FLUSH WITH WATER  
FOR 15 MIN. CALL DR. SKIN:FLUSH WELL WITH WATER. CALL DR.IF NEEDED.

=====  
Fire Fighting Measures  
=====

Flash Point:58 F OC

Lower Limits:6.0

Upper Limits:36

Extinguishing Media:CO\*2 OR POLYMER FOAM

Fire Fighting Procedures:DILUTION OF BURNING LIQUID MAY REDUCE  
INTENSITY OF FLAME

Unusual Fire/Explosion Hazard

:NONE

===== Accidental Release Measures =====

Spill Release Procedures:FLUSH SPILLED MATERIAL W/LARGE VOLUMES OF WATER.

===== Handling and Storage =====

Handling and Storage Precautions:NORMAL CHEMICAL HANDLING PROCEDURES.  
Other Precautions:DOT CLASSIFICATION:FLAMMABLE LIQUID.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPROVED RESP. PROT. FOR EXPOSURE OF CONCENTRATIONS ABOVE THE PERMISSIBLE EXPOSURE LIMITS.

N.

Ventilation:LOCAL EXHAUST PREFERRED, MECHANICAL ACCEPTABLE

Protective Gloves:PLASTIC GLOVES

Eye Protection:GOGGLES

Other Protective Equipment:SAFETY SHOWER & EYE BATH

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F3

Boiling Pt:B.P. Text:147 F

Vapor Pres:96

Spec Gravity:0.80

Evaporation Rate & Reference:3.5 ALCOHOL-MFG

Solubility in Water:COMPLETE

Appearance and Odor:ALCOHOL

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability and Reactivity Data

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:HEAT, FIRE & SPARKS

Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE IN FURNACE. SMALL QUANTITIES MAY BE DILUTED WITH WATER & FLUSHED TO SEWER. DISPOSE IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS (MFG REC)

Disclaimer (provided with this information by the compiling a

gencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.