View NSN Online: https://aerobasegroup.de/nsn/6750-00-926-5204

EASTMAN KODAK COMPANY -- 191 7392, VNF-1/RVNP STABILIZER/REPLENISHER

6750-00-926-5204

Product ID:191 7392, VNF-1/RVNP STABILIZER/REPLENISHER

MSDS Date:07/11/1989

FSC:6750

NIIN:00-926-5204

MSDS Number: BFWWH === Responsible Party ===

Company Name: EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY ZIP:14650 Country:US

Info Phone Num:716-722-5

151

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424 Contract Num:DLA412-92-A-0007-P579

CAGE:19139

======= Composition/Information on Ingredients ========

Ingred Name: FORMALDEHYDE (SARA III)

CAS:50-00-0

RTECS #:LP8925000 Fraction by Wt: 22%

Other REC Limits: NONE SPECIFIED

OSHA PEL:SEE 1

910.1048

ACGIH TLV:C 0.3 PPM; A2; 9293

EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 70-75%

Other REC Limits: NONE SPECIFIED

Ingred Name: METHYL ALCOHOL (METHANOL) (SARA III)

CAS:67-56-1

RTECS #:PC1400000 Fraction by Wt: 7%

Other REC Limits:NONE SPECIFIED OSHA PEL:S,200PPM/250STEL ACGIH TLV:S,200PPM/250STEL; 93

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

=========== Hazards Identification ==========================

LD50 LC50 Mix

ture:ORAL RAT LD50 = 800 MG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Health Hazards Acute and Chronic:ACUTE: INHALATION: MAY CAUSE TISSUE DAMAGE AND SERIOUS RESPIRATORY TRACT INJURY. SKIN: MAY CAUSE BURNS. EYES: MAY CAUSE PROFUSE LACRIMATION AND OCULAR DAMAGE. INGESTION: MAY CAUSE BURNING IN THE MOUTH AND ESOPHAGUS. MAY CAUSE LIVER AND

KIDNEY DAMAGE. MAY CAUSE DEATH FROM CIRCULATORY FAILURE. CHRONIC:

AS THOSE OF ACUTE.

Explanation of Carcinogenicity:STUDIES SHOW THAT REPEATED EXPOSURE TO LEVELS UP TO 14.3 PPM INDUCED NASAL CAVITY SQUAMOUS CELL CARCINOMA IN RATS.

Effects of Overexposure:INHALATION: MAY CAUSE EYE, NOSE & THROAT IRRITATION. MAY CAUSE DIFFICULTY IN BREATHING, BURNING OF THE NOSE & THROAT; OR EVEN PULMONARY EDEMA AND PNEUMONITIS. SKIN & EYES: IRRITATION, SENSITIZATION DE RMATITIS, LOSS OF VISION. INGESTION: JAUNDICE, ALBUMINURIA, HEMATURIA, ANURIA AND ACI

DEATH. Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF SKIN OR EYE DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE. PERSONS WITH
LIVER, KIDNEY AND RESPIRATORY DISORDERS MAY ALSO BE AT INCREASED RISK.
======================================
First Aid:INHALATION: REMOVE TO FRESH AIR IMMEDIATELY. IF BREATHING HAS STOPPED, GIVE CPR. GET IMMEDIATE MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING & SHOES. WASH AFFECTED AREA WITH SOAP & WATER. GET MEDICAL ATTENTION. EYE: WASH EYES IMMEDIATELY WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION.
======================================
Flash Point:100F,38C Extinguishing Media:WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE, ALCOHOL FOAM. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard:NONE
========= Accidental Release Measures ==========
Spill Release Procedures:TAKE UP WITH SAND OR OTHER ABSORBENT MATERIAL. APPLY UNIVERSAL GELLING AGENT TO IMMOBILIZE SPILL AS REQUIRED. VENTILATE AND EVACUATE AREA. ELIMINATE ALL SOURCES OF IGNITION. NEUTRALIZE & WASH RESIDUE WITH WATER. PLACE INTO DISPOSAL CONTAINER.
Neutralizing Agent:CEMENT POWDER OR FLY ASH
======================================
Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA AWAY FROM OXIDIZING MATERIALS. KEEP CONTAINER CLOSED WHEN NOT IN USE. PROTECT AGAINST PHYSICAL DAMAGE. Other Precautions:MAY BE IGNITED BY HEAT, SPARKS OR FLAMES.
====== Exposure Controls/Personal Protection ========
Respiratory Protection: A FULL FACEPIECE WITH CARTRIDGES OR CANISTERS SPECIFICALLY APPROVED BY NIOSH FOR PROTECTION AGAINST FORMALDEHYDE OR A TYPE C SUPPLIED AIR

DOSIS. MAY CAUSE

RESPIRATOR SHOULD BE WORN IF NEEDED. ASSURE COMPLIANCE WITH OS HA STD 29CFR 1910.134 AND 1910.1048. Ventilation:PROVIDE LOCAL EXHAUST OR PROCESS ENCLOSURE VENTILATION TO MEET THE PUBLISHED EXPOSURE LIMITS. USE EXPLOSION-PROOF EQUIP. Protective Gloves: NEOPRENE OR NITRILE RUBBER. Eye Protection: SPLASH PROOF SAFETY GOGGLES/FACESHIELD. Other Protective Equipment: PROTECTIVE CLOTHING AND EQUIPMENT TO PREVENT ANY POSSIBILITY OF SKIN CONTACT. EYE WASH STATION & SAFETY SHOWER. Work Hygienic P ractices:WASH THOROUGHLY AFTER USE AND BEFORE EATING OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health THE ROUTINE USE OF A NON-ALKALINE (ACID) TYPE OF SKIN CLEANSER AND REGULAR CLEANING OF WORKING SURFACES, GLOVES, ETC. WILL HELP MINIMIZE THE POSSIBILITY OF ALLERGIC SKIN REACTION. ======== Physical/Chemical Properties ============= HCC:F6 Boiling Pt:B.P. Text:205F,96C Vapor Pres:18 Vapor Density:0.83 Spec Gravity: 1.08 pH:3.5 So **lubility in Water:COMPLETE** Appearance and Odor: CLEAR, COLORLESS LIQUID - STRONG IRRITATING ALDEHYDE ODOR. Percent Volatiles by Volume:100 ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS, STRONG ALKALI Hazardous Decomposition Products: THERMAL DECOMPOSITION PRODUCTS MAY INCLUDE UNBURNED FORMALDEHYDE AND OXIDES OF CARBON. ======= Disposal Considerations ============

Waste Disposal Meth

ods:DISPOSE I/A/W ALL APPLICABLE FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsib ility for the suitability of this information to their particular situation.