

CLAYTON CHEMICAL CO. -- C & H AERIAL FIXER HARDENER, PART B -- 6750-00-929-8101

=====  
Product Identification  
=====

Product ID:C & H AERIAL FIXER HARDENER, PART B

MSDS Date:02/15/1991

FSC:6750

NIIN:00-929-8101

Kit Part:Y

MSDS Number: BFXCY

=== Responsible Party ===

Company Name:CLAYTON CHEMICAL CO.

Address:13310 S. FIGUEROA STREET

City:LOS ANGELES

State:CA

ZIP:90061

Country:US

Info Phone Num:310-53

8-9530

Emergency Phone Num:310-538-9530/800-424-9300(CHEMTREC)

Preparer's Name:JOHN B. TAYLOR

CAGE:61803

=== Contractor Identification ===

Company Name:CLAYTON CHEMICAL CO.

Address:13310 S. FIGUEROA STREET

Box:City:LOS ANGELES

State:CA

ZIP:90061

Country:US

Phone:310-538-9530/800-424-9300(CHEMTREC)

CAGE:61803

Company Name:CLAYTON CHEMICAL CO., A DIV OF VARICHEM CORP

Address:RR 1

Box:276-Z

City:HEATHSVILLE

State:VA

ZIP:22473

Country:US

Phone:703-759-9399

CAGE:6W820

=====  
Composition/Info  
=====

Information on Ingredients =====

Ingredient Name:ALUMINUM SULFATE (SARA III)

CAS:10043-01-3

RTECS #:BD1700000

Fraction by Wt: 40-50%

Other REC Limits:NONE SPECIFIED

OSHA PEL:2 MG/M3

ACGIH TLV:2 MG/M3; 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingredient Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: 62%

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:

NO

Health Hazards Acute and Chronic:MATERIAL IS CORROSIVE, CAUSE

IRRITATION & SEVERE EYE BURNS ON CONTACT; IF INGESTED, CAUSE SEVERE STOMACH PAIN AND UPSET.

Effects of Overexposure:EYES:VAPORS,LIQUID OR MIST MAY CAUSE SEVERE

IRRITATION & BURNS.MAY DAMAGE THE EYES WITH PERMANENT INJURY

POSSIBLE; INHALATION:VAPORS OR MIST MAY RESULT IN

BRONCHITIS,PULMONARY EDEMA,AND CHEMICAL PNEUMONITIS;

INGESTION:LIQUID WILL BURN MOUTH & THROAT CAUSING SEVERE ABDOMINAL

PAIN,NAUSEA,COL

LAPSE.MAY CAUSE DEATH.

Medical Condition Aggravated by Exposure:NOT KNOWN

===== First Aid Measures =====

First Aid:EYES:FLUSH WITH PLENTY OF WATER & CALL A PHYSICIAN; SKIN:WASH

WITH SOAP & WATER; INGEST:DRINK MILK, MILK OF MAGNESIA & WATER,

CALL A DOCTOR IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:USE MEDIA SUITABLE FOR SURROUNDING FIRES.

Fire Fighting Procedures:USE SELF-CONTAINED

INED BREATHING APPARATUS &  
PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:EXTREME HEAT OR FIRE MAY CAUSE EMISSION  
OF HAZARDOUS DECOMPOSITION PRODUCTS.

===== Accidental Release Measures =====

Spill Release Procedures:SMALL SPILLS:MOP UP ON WASTE TOWELING &  
DISPOSE OF IN A PROPER CONTAINER; LARGE SPILLS:FLUSH TO SEWER WITH  
PLENTY OF WATER.

Neutralizing Agent:SODA ASH OR LIME

===== Handling and Storage =====

Hand  
ling and Storage Precautions:AVOID BREATHING FUMES.WEAR APPROPRIATE  
PROTECTIVE CLOTHING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF TLV IS EXCEEDED, USE NIOSH/MSHA APPROVED  
RESPIRATOR.

Ventilation:NORMAL VENTILATION.

Protective Gloves:RUBBER GLOVES.

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:EYE WASH FACILITY; SAFETY SHOWER; REMOVE ALL  
CONTAMINATED CLOTHING & SHOES. WASH BEFORE REUSE.

Work Hygienic Practices:WASH BEF  
ORE EAT/DRINK.

Supplemental Safety and Health

THIS M.S.D.S IS FOR MANUFACTURER'S CATLOG NUMBERS: DA2121S, DA2121.  
ALSO, MANUFACTURER'S CODE NUMBER IS: 36178B/1. PART B IS THE  
CORROSIVE PART OF THE KIT.

===== Physical/Chemical Properties =====

HCC:C1

Boiling Pt:B.P. Text:212F,100C

Spec Gravity:1.213

pH:2.98

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR,COLORLESS,NO ODOR

===== Stability and Reactivity Data =====

Stability

Indicator/Materials to Avoid: YES  
STRONG ALKALIES; STRONG OXIDIZING/REDUCING AGENTS.  
Stability Condition to Avoid: NOT KNOWN  
Hazardous Decomposition Products: NOT KNOWN

===== Disposal Considerations =====

Waste Disposal Methods: COMPLY WITH FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no man  
ner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.