

SEYMOUR OF SYCAMORE, INC. -- AEROSOL-ACRYLIC LACQUER YELLOW FLUORESCENT --  
8010-00-958-8151

=====  
Product Identification  
=====

Product ID:AEROSOL-ACRYLIC LACQUER YELLOW FLUORESCENT

MSDS Date:01/01/1985

FSC:8010

NIIN:00-958-8151

MSDS Number: BFZFD

=== Responsible Party ===

Company Name:SEYMOUR OF SYCAMORE, INC.

Emergency Phone Num:815-895-9101

CAGE:59581

=== Contractor Identification ===

Company N

ame:SEYMOUR OF SYCAMORE

Address:917 CROSBY AVE.

Box:City:SYCAMORE

State:IL

ZIP:60178-1343

Country:US

Phone:815-895-9101/800-255-3924

CAGE:59581

=====  
Composition/Information on Ingredients  
=====

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 11%

OSHA PEL:200 PPM/150 STEL

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000

Fraction by Wt: 8%

OSHA PEL:

100 PPM/150 STEL  
ACGIH TLV:100 PPM/150STEL;9192  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:N-HEPTANE  
CAS:142-82-5  
RTECS #:MI7700000  
Fraction by Wt: .77%  
OSHA PEL:500 PPM/500 STEL  
ACGIH TLV:400 PPM/500STEL;9293

Ingred Name:ISOBUTANE/PROPANE  
Fraction by Wt: 33%

Ingred Name:HEXANE (N-HEXANE)  
CAS:110-54-3  
RTECS #:MN9275000  
Fraction by Wt: 29%  
OSHA PEL:500 PPM  
ACGIH TLV:50 PPM; 9293  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

===== Hazards Identification =====

Effects of Overexposure:CAN LEAD TO CENTRAL NERV SYS.DEPRESSN PRODUCNG  
HDACHS,DIZZINES,NAUSEA & LOSS OF CONSCIOUSNESS.

===== First Aid Measures =====

First Aid:EYES:FLUSH EYES W/LG AMTS OF WATR,LIFTNG UPPER/LOWR LIDS,GET  
MED ATTN. INHAL:REMOV INDIV TO FRESH AIR.IF BREATHNG  
DIFFICULT,ADMIN OXYGEN.IF BREATHNG STOPS,GIV ARTIFIC RESPIRAT KP  
PERSON WARM,QUIET & M EDICAL ATTN.INGEST:DO NOT INDUC VOMIT.GET  
MEDICAL

===== Fire  
Fighting Measures =====

Flash Point:-10F TOC -23C  
Extinguishing Media:USE CARBON DIOXIDE,DRY CHEMICAL OR FOAM.  
Fire Fighting Procedures:WATR SPRAY MAY BE INEFFECTV,MAY BE USED TO  
COOL CONTNRS.  
Unusual Fire/Explosion Hazard:EXPOSURE TO HEAT MAY CAUSE BURSTING OF  
AEROSOL CAN.

===== Accidental Release Measures =====

Spill Release Procedures:REMOV ALL SOURCES OF IGNITION,AVOID BREATHING  
VAPS, VENTILATE AREA. WIPE UP W/INERT MATERIALS & PLAC

E IN  
APPROPRIATE CONTAINER.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:DO NOT STORE ABOVE 120F.EXPOSURE TO HEAT OR PROLONG EXPOSURE TO SUN MAY CAUSE BURSTING.  
Other Precautions:USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DILIBERATING CONCENTRATING VAPORS & INHALING CONTENTS CAN BE HARMFUL OR FATAL.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:AVOID CONTINUOUS BREATHING OF VAPOR/SPRAY MIST.SELF CONTINUED BREATH APPARATUS  
Ventilation:USE W/ADEQUATE VENT,SUFFICIENT TO PREVENT INHALATION OF VAPORS.  
Protective Gloves:OPTIONAL  
Eye Protection:WHERE SPRAY MIST IS PRESENT  
Supplemental Safety and Health  
HAZARDOUS DECOMPOSITION PRODUCTS: CARBON DIOXIDE AND/OR CARBON MONOXIDE.

=====  
Physical/Chemical Properties  
=====

HCC:V3  
Evaporation Rate & Reference:FASTER THAN ETHER  
Percent Volatiles by Volume:85

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES  
AVOID STRONG ACIDS & STRONG OXIDIZING AGENTS  
Stability Condition to Avoid:DO NOT STORE ABOVE 120F.KEAVEN FROM SPARKS,PILOT LIGHTS OR OPEN FLAME  
Hazardous Decomposition Products:MAY PRODUCE HAZARDOUS FUMES WHEN HEATED TO DECOMPOSE.FUMES MAY CONTINUE (SUPPORT)

=====  
Disposal Considerations  
=====

Waste Disposal Methods:DO NOT INCINERATE AEROSOL. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE & FEDERAL REGULATIONS. DO NOT PLACE AEROSOL CANS IN HOME COMPOST

PACTOR. DO NOT PUNCTURE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.