View NSN Online: https://aerobasegroup.de/nsn/6750-00-965-4954

EASTMAN KODAK COMPANY -- 188 8742 VNF-1/RVNP COLOR DEVELOPER,PART C 6750-00-965-4954

Product ID:188 8742 VNF-1/RVNP COLOR DEVELOPER, PART C MSDS Date:05/09/2000 FSC:6750 NIIN:00-965-4954 Kit Part:Y MSDS Number: BFZWL === Responsible Party === Company Name: EASTMAN KODAK COMPANY Address:343 STATE STREET City:ROCHESTER State:NY ZIP:14650 Country:US Info Phone Num: 716-722-5151 Emergency Phone Num:716-722-5151 Preparer's Name:NOT PROVIDED CAGE:19139 === Contractor Identification === Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS Address:343 STATE ST Box:City:ROCHESTER State:NY ZIP:14650-1115 Country:US Phone:716-722-5151/(800) 242-2424 CAGE:19139 Company Name: EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES Address:800 LEE RD Box:City:ROCHESTER State:NY ZIP:14650-3129 Country:US Phone:800-828-6203 CAGE:5K871

======= Composition/Inf

ormation on Ingredients =========

Ingred Name:SODIUM PHOSPHATE/TRISODIUM PHOSPHATE (SARA III) CAS:7601-54-9 RTECS #:TC9490000 Minumum % Wt:80. Maxumum % Wt:85. Other REC Limits:NOT PROVIDED EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:SODIUM SULFITE CAS:7757-83-7 RTECS #:WE2150000 Minumum % Wt:15. Maxumum % Wt:20. Other REC Limits:NOT PROVIDED OSHA PEL:NOT PROVIDED ACGIH TLV:NOT PROVIDED

LD50 LC50 Mixture:NOT PROVIDED Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EFFECTS OF EXPOSURE: INHALATION:

AIRBORNE DUST IRRITATING. MAY BE HARMFUL IF INHALED. MAY CAUSE IRRITATION TO THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT. SOME ASTHMATICS/ HYPERSENSITIVE INDIVID UALS MAY EXPERIENCE DIFFICULT BREATHING. IN CONTACT WITH STRONG ACIDS OR IF HEATED, SULFITES MAY LIBERATE SULFUR DIOXIDE GAS WHICH IS IRRITATING TO RESPIRATORY TRACT. EYES: CAUSES

BURNS. AIRBORNE DUST IRRITATING. SKIN: CAUSES BURNS. THIS MATERIAL HAS A LOW POTENTIAL TO CAUSE ALLERGIC SKIN REACTIONS; HOWEVER, CASES OF HUMAN SKIN SENSITIZATION HAVE BEEN REPORTED. INGESTION: HARMFUL IF SWALLOWED. MAY CAUSE BURNS OF GASTROINTESTINAL TRACT.

Explanation of Carcinogenicity:CARCINOGENICITY CLASSIFICATION (COMPONENTS PRESENT AT 0.1% OR MORE): - INTERNATIONAL AGENCY FOR RESEARCH ON CANCER (IARC): NONE - AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HY

GIENISTS (ACGIH): NON E - NATIONAL
TOXICOLOGY PROGRAM (NTP): NONE - OCCUPATIONAL SAFETY AND HEALTH
ADMINISTRATION (OSHA): NONE
Effects of Overexposure: INHALATION: AIRBORNE DUST IRRITATING. MAY CAUSE IRRITATION TO THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT. SOME ASTHMATICS/ HYPERSENSITIVE INDIVIDUALS MAY EXPERIENCE DIFFICULT BREATHING. SULFUR D IOXIDE GAS IS IRRITATING TO RESPIRATORY TRACT. EYES: CAUSES BURNS. AIRBORNE DUST IRRITATING. SKIN: CAUSES BURNS. INGESTI ON: MAY CAUSE BURNS OF GASTROINTESTINAL
TRACT.
Medical Cond Aggravated by Exposure:SOME ASTHMATICS OR SULFITE-SENSITIVE INDIVIDUALS MAY EXPERIENCE WHEEZING, CHEST TIGHTNESS, STOMACH UPSET, HIVES, FAINTNESS, WEAKNESS AND DIARRHEA.
======================================
First Aid:INHALATION: IF SYMPTOMATIC, MOVE TO FRESH AIR. TREAT SYMPTOMATICALLY. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. GET
MEDICAL ATTENTI ON IMMEDIATELY. SKIN: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES WHILE REMOVING CONTAMINATED CLOTHING AND SHOES. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. WASH CONTAMINATED CLOTHING BEFORE REUSE. DESTROY OR THOROUGHLY CLEAN CONTAMINATED SHOES. INGESTION: DO NOT INDUCE VOMITING. GIVE VICTIM A GLASS OF WATER. CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. NEVER GIVE ANYTHI NG BY MOUTH TO AN UNCONSCIOUS PERS
ON.
======================================
Flash Point:NONE

Extinguishing Media:USE APPROPRIATE AGENT FOR ADJACENT FIRE. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. FIRE OR EXCESSIVE HEAT MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS. Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures: FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER. OT

HERWISE, COLLECT UP AND PUT IN A SUITABLE CONTAINER. AVOID GENERATING DUST. CLEAN SURFACE THOROUGHLY TO REMOVE RESIDUAL CONTAMINATION. Neutralizing Agent:NOT PROVIDED

Handling and Storage Precautions: KEEP CONTAINER CLOSED. KEEP AWAY FROM INCOMPATIBLE SUBSTANCES

Other Precautions: AVOID BREATHING DUST. DO NOT GET IN EYES, ON SKIN, ON CLOTHING. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

=

Respiratory Protection: IF ENGINEERING CONTROLS DO NOT MAINTAIN AIRBORNE CONCENTRATIONS BELOW RECOMMENDED EXPOSURE LIMITS, AN APPROVED RESPIRATOR MUST BE WORN. RESPIRATOR TYPE: HALF-FACE CARTRIDGE RESPIRATOR WITH HIGH EFFICI ENCY PARTICULATE AEROSOL (HEPA) CARTRIDGES. A RESPIRATOR SHOULD BE WORN IF HAZARDOUS DECOMPOSITION PRODUCTS ARE LIKELY TO BE OR HAVE BEEN RELEASED.

Ventilation: USE PROCESS ENCLOSURES, LOCA

L EXHAUST VENTILATION, OR OTHER ENGINEERING CONTROLS TO MAINTAIN AIRBORNE LEVELS BELOW RECOMMENDED EXPOSURE LIMITS.

Protective Gloves:WEAR IMPERVIOUS GLOVES APPROPRIATE FOR THE RISK OF EXPOSURE.

Eye Protection:WEAR SAFETY GLASSES WITH SIDE SHIELDS (OR GOGGLES) AND A FACE SHIELD.

Other Protective Equipment:EYE BATH, WASHING FACILITIES, SAFETY SHOWER. WEAR PROTECTIVE CLOTHING APPROPRIATE FOR THE RISK OF EXPOSURE. Work Hygienic Practices:NOT PROVIDED

Supplemental Safety and Heal

th

NOTE TO PHYSICIANS: STRONG ALKALIS BIND TISSUE PROTEIN. FOLLOWING INITIAL FLUSHING OF THE EYE WITH WATER, CONTINUED IRRIGATION OF THE EYE WITH SALINE IS RECOMMENDED. TREATMENT SHOULD BE CONTINUED UNTI L PH OF TEARS REACHES NEUTRAL.

HCC:B1

NRC/State Lic Num:NOT RELEVANT Melt/Freeze Pt:M.P/F.P Text:NOT AVAILABLE Decomp Temp:Decomp Text:NOT PROVIDED Vapor Pres:NEGLIGIBLE Spec Gravity:> 1.0 Viscosity:NOT RELEVANT E vaporation Rate & amp; Reference:NOT PROVIDED Solubility in Water:APPRECIABLE Appearance and Odor:WHITE SOLID; ODORLESS Percent Volatiles by Volume:NOT APPLICAB Corrosion Rate:NOT PROVIDED

Stability Indicator/Materials to Avoid:YES STRONG ACIDS Stability Condition to Avoid:NOT PROVIDED Hazardous Decomposition Products:SULFUR DIOXIDE, OXIDES OF PHOSPHORUS

Toxic

ological Information:EFFECTS OF EXPOSURE: INHALATION: AIRBORNE DUST IRRITATING. MAY BE HARMFUL IF INHALED. MAY CAUSE IRRITATION TO THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT. SOME ASTHMATICS/ HYPERSENSITIVE INDIVIDU ALS MAY EXPERIENCE DIFFICULT BREATHING. IN CONTACT WITH STRONG ACIDS OR IF HEATED, SULFITES MAY LIBERATE SULFUR DIOXIDE GAS WHICH IS IRRITATING TO RESPIRATORY TRACT. EYES: CAUSES BURNS. AIRBORNE DUST IRRITATING. SKIN: CAUSES BURNS. THIS MATERIAL HAS

A LOW POTENTIAL TO CAUSE ALLERGIC SKIN REACTIONS; HOWEVER, CASES OF HUMAN SKIN SENSITIZATION HAVE BEEN REPORTED. INGESTION: HARMFUL IF SWALLOWED. MAY CAUSE BURNS OF GASTROINTESTINAL TRACT.

Ecological:THE FOLLOWING PROPERTIES ARE ESTIMATED FROM THE COMPONENTS OF THE PREPARATIONS. POTENTIAL TOXICITY FISH LC50 MG/L: >100 DAPHNID EC50 MG/L: >100 ALGAL IC50 MG/ L: NOT AVAILAB LE ORGANICS READILY DEGRADABLE NOT APPLICABLE (>70%): POTENTIAL BIOACCUMULATION: LOG POW 100 EC50 (MG/L):

Waste Disposal Methods:DISCHARGE, TREATMENT, OR DISPOSAL MAY BE SUBJECT TO NATIONAL, STATE, OR LOCAL LAWS. FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER. SINCE EMPTIED CONTAINERS RETAIN PRODUCT RESIDUE, FOLLOW LABEL WARNINGS E VEN AFTER CONTAINER IS EMPTIED

====== MSDS Trans

Transport Information:FOR TRANSPORTATION INFORMATION REGARDING THIS PRODUCT CALL THE KODAK WORLDWIDE TRANSPORTATION HAZMAT HOT LINE: (716) 722-2400 BETWEEN 8 A.M. AND 5 P.M. (EASTERN STANDARD TIME), MONDAY THROUGH FRIDAY.

SARA Title III Information:CHEMICAL(S) SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OR TITLE III OF THE SUPERFUND AMENDMENTS AND REAUT
HORIZATION ACT (SARA) OF 1986 AND 40 CFR PART 372: NONE
Federal Regulatory Information:NOT PROVIDED
State Regulatory Information:MATERIAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER: NONE - MATERIAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE ADVERSE REPRODUCTIVE EFFECTS: NONE

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.