

HYSOL DIVISION, THE DEXTER CORP. -- EA 907 PART B -- 8040-00-967-7346

=====  
Product Identification  
=====

Product ID:EA 907 PART B

MSDS Date:01/05/1988

FSC:8040

NIIN:00-967-7346

Kit Part:Y

MSDS Number: BFZZB

=== Responsible Party ===

Company Name:HYSOL DIVISION, THE DEXTER CORP.

Address:2850 WILLOW PASS ROAD

Box:312

City:PITTSBURG

State:CA

ZIP:94565

Info Phone Num:(415)687-4201

Emergency Phone Num:

(415)687-4201

Preparer's Name:SUZANNE FRANZ

CAGE:14347

=== Contractor Identification ===

Company Name:DEXTER CORP THE DEXTER ELECTRONIC MATERIAL DIV

Address:211 FRANKLIN ST.

Box:City:OLEAN

State:NY

ZIP:14760-1297

Country:US

Phone:716-372-6300/6309

CAGE:04347

Company Name:HYSOL DIVISION, THE DEXTER CORPORATION

Box:312

CAGE:14347

=====  
Composition/Information on Ingredients  
=====

Ingred Name:POLYAMIDE RESIN

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:N/K

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MATL MAY CAUSE SKIN IRRI & POSSIBLE ALLERGIC REACTIONS. PROLONGED & REPEATED CONTACT MAY CAUSE SENSITIZATION WHICH WILL RESULT IN ALLERGIC REACTIONS.

Explanation of Carcinogenicity:NOT APPLICABLE

Effects of Overexposure:IRRITATION TO SKIN. POSSIBLE BURN TO EYES.

Medical Cond Aggravated by Exposure:N.A.

=====

=== First Aid Measures =====

First Aid:EYE:IMME FLUSH W/LGE AMTS OF WTR FOR AT LEAST 15 MIN.SKIN:WASH THORO W/SOAP & WTR,RUBBING ALCOHOL/HAND CLEANER.DO NOT USE SOLVENTS.RMOV SOILED CLOTHING.IF IRRIT PERSISTS,SEE PHYSICIAN. INHALATIO N:REMOVE FROM EXPOSURE.SUPPORT BREATHING (GIVE O\*2/ARTIFICIAL RESPIRATION). INGESTION:CALL MD IMMEDIATELY .

===== Fire Fighting Measures =====

Flash Point Method:TOC

Flash Point:>300F/148.9C

Lo

wer Limits:N.A.

Upper Limits:N.A.

Extinguishing Media:DRY CHEMICAL OR HALON FIRE EXTINGUISHER, OR WATER SPRAY, FOAM OR FOG.

Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:DENSE SMOKE & TOXIC GASES MAY BE LIBERATED.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROT CLOTHING,GLOVE & SAFETY GLASSES.SRAPE UP & TRANSFER TO METAL CONTAINER. WIPE UP REMAINING RE

SIDUE W/SOLVENTS, OBSERVING SOLVENT FLAMMABILITY CAUTIONS.

Neutralizing Agent:N/K .

===== Handling and Storage =====

Handling and Storage Precautions:KEEP COOL IN ACCORDANCE W/LABEL INSTRUCTIONS .

Other Precautions:FOLLOW RECOMMENDED CURING SCHEDULE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NEEDED W/GOOD INDUSTRIAL VENTILATION (MFR). NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONC

ERN

Ventilation:LOCAL EXHAUST RECOMMENDED.

Protective Gloves:IMPERVIOUS PLASTIC OR RUBBER.

Eye Protection:SAFETY GLASSES OR GOGGLES.

Other Protective Equipment:AS NEEDED TO PROTECT SKIN AND CLOTHING.

Work Hygienic Practices:N/K

Supplemental Safety and Health

PH:N/K .COND TO AVOID(POLYM):BE BONDED.FAILURE TO OBSERVE CAUT MAY  
RESULT IN EXCESS HEAT BLD-UP W/RELEASE OF TOX GASES.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:DECOMPOSES

Melt/Freeze Pt:M.P/F.P Text:N/K

Decomp Temp:Decomp Text:N/K

Vapor Pres:1

Evaporation Rate & Reference:NIL

Solubility in Water:NEGLIGIBLE

Appearance and Odor:CREAM COLORED PASTE W/SLIGHT AMMONIACAL ODOR.

Percent Volatiles by Volume:N.A.

Corrosion Rate:

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS, STRONG LEWIS OR MINERAL ACIDS.

Stability Condition to Avoid:N.A.

Hazardous Decomposition Products:CO, NO

\*X, ALDEHYDES, ACIDS &

UNDETERMINED ORGANICS.

Conditions to Avoid Polymerization:AVOID MIXING RESIN & CURING AGENT IN  
BATCHES >1 LB TOTAL.DO NOT HEAT MIXED ADHESIVE UNLESS CURING  
SURFACES TO (SUP DAT)

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF AS HAZARDOUS WASTE ACCORDING TO DOT  
HAZARD CLASS. IF NOT REGULATED BY DOT, DISPOSE OF AS ORM-E (MFR).  
DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS .

Disclai

mer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.