View NSN Online: https://aerobasegroup.de/nsn/6810-00-975-0707

Product ID:SULFURIC ACID,OIL OF VITRIOL MSDS Date:01/01/1985 FSC:6810 NIIN:00-975-0707 MSDS Number: BGBGB === Responsible Party === Company Name: CHEMICAL COMMODITIES AGENCY Address:27447 PACIFIC STREET City:HIGHLAND State:CA ZIP:92346-2640 Country:US Info Phone Num:714-864-2310 Emerge ncy Phone Num:714-864-2310 CAGE:00063 === Contractor Identification === Company Name: AKZO NOBEL CHEMICALS INC Address:300 S. RIVERSIDE PLAZA Box:City:CHICAGO State:IL ZIP:60606-6613 Country:US Phone:312-906-7500 TECH: 800-828-792 CAGE:97854 Company Name: CHEMICAL COMMODITIES AGENCY, INC. Address:27447 PACIFIC STREET Box:City:HIGHLAND State:CA ZIP:92346-2640 Country:US Phone:909-864-2310 CAGE:60777 Company Name: CHEMICAL COMMODITIES (DIST), KEYSTONE-INGHAM (MFR). Box:1087R Phone:213-926-4461 CAGE:0006

Ingred Name:SULFURIC ACID (SARA III) CAS:7664-93-9 RTECS #:WS5600000 Fraction by Wt: 98.0% OSHA PEL:1 MG/M3 ACGIH TLV:1 MG/M3; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Effects of Overexposure:INGESTION: MAY CAUSE SEVERE INJURY OR DEATH.

EYES: DAMAGE BY BURNS. SKIN: BURNS, IRRITATION OF RESPIRATORY TRACT.

First Aid:CALL A DOCTOR IMMEDIATELY. INGESTION: DO NOT INDUCE VOMITING. IMMEDIATELY GIVE LARGE QUANTITIES OF WATER OR MILK, IF AVAILABLE. EYES: FLUSH EYES WITH LARGE QUANTITIES OF WATER FOR AT LEAST 15 MINUTES. SKIN: FLUSH WITH WATER FOR AT LEAST 15MINUTES. INHALATION: REMOVE TO FRESH AIR.

========================= Fire Fighting Measures

Extinguishing Media:WATER SPRAY, DRY CHEMICAL, FOAM, CARBON DIOXIDE, HALOGENATED EXTINGUISHING AGENTS

Fire Fighting Procedures: USE SELF-CONTAINED BREATHING APPARATUS, AND IMPERVIOUS CLOTHING. EVACUATE AREA.

Unusual Fire/Explosion Hazard:IGNITION BY CONTACT WITH COMBUSTIBLE LIQUIDS AND SOLIDS. HYDROGEN MAY BE GENERATED BY THE ACTION OF SULFURIC ACID WITH METALS.

Spill Release Procedures:AL

L FOOD KEPT IN SEPARATE AREA, AWAY FROM WORKING LOCATION.USE NIOSH-APPROVED FULL FACE PIECE CART.AIR PURIFYING RESPIRATOR.WEAR SUITABLE PROTECTIVE CLOTHING.USE WATER TO FLUSH DOWN AREA. SODA ASH OR L IME SHOULD BE USED TO NEUTRALIZE ACIDITY ON GROUND Neutralizing Agent:SODA ASH, LIME

Handling and Storage Precautions:PROTECT AGAINST PHYSICAL DAMAGE AND PREVENT CONTACTS WITH WATER. SEPARATE FROM CARBIDES, CHLO RATES,

FULMINATES, NITRATES, PICRATES, POWDERED METALS. Other Precautions:SEPARATE FROM COMBUSTIBLES. WEAR RUBBER GLOVES, CHEMICAL GOGGLES, RUBBER BOOTS, AND A CHEMICAL CARTRIDGE RESPIRATOR. SAFETY SHOWERS AND EYE WASH FOUNTAINS SHOULD BE READILY ACCESSIBLE.

Respiratory Protection:FULL FACE, SELF-CONTAINED BREATHING APPARATUS Ventilation:MECHANICAL IS PREFERRED Protective Gloves:RUBBER Eye Protection:SAFETY GOG GLES Other Protective Equipment:HOODS, SUITS, RUBBER BOOTS Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health

HCC:C1 Spec Gravity:1.8347 Solubility in Water:COMPLETE Appearance and Odor:COLORLESS, CLEAR TO HAZY, ODORLESS, OILY-LOOKING LIQUID.

Stability Indicator/Materials to Avoid:YES POWDERED METALS, ORGANIC MATERIAL

S, CARBIDES, CHLORATES, FULMINATES, NITRATES, PICRATES Stability Condition to Avoid:HIGH HEAT, MOISTURE Hazardous Decomposition Products:HYDROGEN, SULFUR DIOXIDE, SULFUR TRIOXIDE, HYDROGEN SULFIDE

Waste Disposal Methods:SULFURIC ACID THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN AN APPROVED LANDFILL-IN SUCH A MANNER THAT IT WILL NOT ADVERSELY AFFECT THE ENVIRONMENT.

Disclaimer (provid

ed with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.