

STEPAN COMPANY -- STEPANFOAM G-506-T -- 9330-01-006-5310

=====  
Product Identification  
=====

Product ID:STEPANFOAM G-506-T

MSDS Date:07/21/1987

FSC:9330

NIIN:01-006-5310

Kit Part:Y

MSDS Number: BGCTZ

=== Responsible Party ===

Company Name:STEPAN COMPANY

Address:22 W. FRONTAGE RD

City:NORTHFIELD

State:IL

ZIP:60093-3407

Country:US

Info Phone Num:312-446-7500

Emergency Phone Num:1-800-228-5635/312-446-7500

CAGE:87570

=== Contractor Identification ===

Company Name:STEPAN COMPANY

Address:EDENS EXPY WINNETKA RD

Box:City:WINNETKA

State:IL

ZIP:60093

Country:US

Phone:800-228-5635, CHEMTREC 800-424-9300

CAGE:87570

=====  
Composition/Information on Ingredients  
=====

Ingred Name:TOLUENE-2,4-DIISOCYANATE (TDI) (SARA III)

CAS:584-84-9

RTECS #:CZ6300000

Fraction by Wt: 75.0%

OSHA PEL:C,0.02 PPM/0.02 STEL

ACGIH TLV:0.005PPM/0.02STEL;93

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

=====

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES  
Health Hazards Acute and Chronic:ACUTE:SEE SIGNS AND SYMPTOMS OF  
OVEREXPOSURE. CHRONIC:NOT ESTABLISHED.  
Explanation of Carcinogenicity:TOLUENE DIISOCYANATE IS A SUSPECTED  
HUMAN CARCINOGEN.

Effects of

Overexposure:EYE:PAIN,IRRITATION;SKIN:IRRITATION;INHALATION:MIST  
MAY IRRITATE NASAL PASSAGE;INGESTION:NAUSE  
A,ABDOMINAL PAIN.

=====  
First Aid Measures  
=====

First Aid:EYES:FLUSH WITH PLENTY OF WATER;SKIN:REMOVE CONTAMINATED  
CLOTHING.WASH OF WITH WATER;INHALATION:REMOVE TO FRESH AIR.GIVE  
CPR/OXYGEN IF NEEDED;INGESTION:SEE DOCTOR IMMEDIATELY.

=====  
Fire Fighting Measures  
=====

Flash Point Method:SCC  
Flash Point:>200F/93C  
Lower Limits:1.0  
Extinguishing Media:WATER SPRAY, FOAM, CARBON DIOXIDE, DRY CHEMICAL  
EXTINGUISHER

Fire Fighting Procedures:WEAR SCBA AND PROTECTIVE CLOTHING  
Unusual Fire/Explosion Hazard:ONE IGNITED, THESE FOAMS MAY BURN RAPIDLY  
& PRODUCE INTENSE HEAT, DENSE MOKE & IRRIT TOXIC GASES.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:SOAK UP WITH ABSORBANT.SHOWER INTO APPROPRIATE  
WASTE CONTAINER.FLUSH AREA WITH WATER. (1% AMMONIA MAY BE USED TO  
NEUTRALIZE SPILLS). (SPILLED MATERIAL IS SLIPPERY)  
Neutralizing Agent:1% AMMONIA.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN COOL,DRY WELL VENTILATED  
AREA,AWAY FROM HEAT,IGNITION SOURCES AND STRONG OXIDIZING AGENTS.  
Other Precautions:DO NOT POUR INTO DRAINS,AS SOLIDS THAT FORM WILL PLUG  
SEWERS.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:IF AVOID ARE PRESENT,USE NIOSH/MSHA APPROVED  
RESPIRATOR FOR ORGANIC VAPORS,AIR-LINE RESPIRATOR OR SCBA.  
Ventilation:MECHANI

CAL (GENERAL) AND/OR LOCAL EXHAUST TO KEEP BELOW  
TLV.

Protective Gloves:IMPERVIOUS

Eye Protection:FULL FACE SHIELD OR GOGGLES.

Other Protective Equipment:WEAR PROTECTIVE CLOTHING TO PREVENT REPEATED  
OR PROLONGED CONTACT. EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.REMOVE AND  
LAUNDER CONTAMINATED CLOTHING.

Supplemental Safety and Health

KIT CONSISTS OF 2 PARTS. FOR OTHER PART, SEE PNI A, SAME NSN.

KEY1:T3.

===== Physi  
cal/Chemical Properties =====

HCC:T3

Boiling Pt:B.P. Text:>200F/93C

Vapor Density:>AIR

Spec Gravity:1.22

Appearance and Odor:YELLOW LIQUID W/SWEET,FRUITY,PUNGENT ODOR.

Percent Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS,WATER,ALCOHOLS, AMINES, ALKALIES,METAL CMPDS.

Stability Condition to Avoid:EXPOSURE TO INTENSE HEAT SOURCES

Hazardous Decomposition Products:CYANIDES

& AMMONIA MAY BE FORMED.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN A PERMITTED LANDFILL IN ACCORDANCE  
WITH ALL APPLICABLE FEDERAL,STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate  
and

disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.