

FEDERATED.FRY METALS INC. -- ACTIVATED ROSIN FLUX RB-RMA-25 -- 3439-01-007-5494

=====
Product Identification
=====

Product ID:ACTIVATED ROSIN FLUX RB-RMA-25

MSDS Date:01/01/1987

FSC:3439

NIIN:01-007-5494

MSDS Number: BGCWG

=== Responsible Party ===

Company Name:FEDERATED.FRY METALS INC.

Address:6TH AVE AND 41ST ST

City:ALTOONA

State:PA

ZIP:16602

Country:US

Emergency Phone Num:814-946-1611

CAGE:MO

490

=== Contractor Identification ===

Company Name:FEDERATED.FRY METALS INC.

Address:6TH AVE AND 41ST ST

Box:City:ALTOONA

State:PA

ZIP:16602

Country:US

CAGE:MO490

Company Name:FRY TECHNOLOGY DIV OF COOKSON AMERICA INC

Address:6TH AVE AND 41ST ST

Box:City:ALTOONA

State:PA

ZIP:16602

Country:US

Phone:814-946-1611

CAGE:65172

=====
Composition/Information on Ingredients
=====

Ingred Name:ALCOHOLS (TYPE NOT SPECIFIED)

Fraction by Wt: 75%

ACGIH TLV:400 PPM PER MFG

=====

==== Hazards Identification =====

Effects of Overexposure:EYES,NOSE & THROAT IRRIT

=====
===== First Aid Measures =====

First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG
DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH
W/SOAP & WATER. RMV CONTAM CLTHG & SHOES. INGEST:DO NOT INDUCE
VOMIT. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

=====
===== Fire Fighting Measures =====

=
Flash Point:62F,16.6C TCC
Lower Limits:2.0
Upper Limits:12.0
Extinguishing Media:DRY CHEM OR FOAM.
Fire Fighting Procedures:NONE SPECIFIED BY MFG.
Unusual Fire/Explosion Hazard:WATER MAY BE INEFFECTIVE BECAUSE OF THE
LOW FLASH POINT.

=====
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE IGNITION SOURCES,VENTILATE AREA
WELL.ABSORB WITH VERMICULITE OR OTHER MATERIALS, SUCH AS
SAWDUST,RAGS,PAPER & PLACE IN CLOSED CONTAINER. USE NON SPAR
KING
TOOLS. WEAR PROPER PROTECTIVE EQUIPMENT DURING CLEAN UP.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONT CLOSED WHEN NOT IN USE. KEEP
AWAY FM HEAT, SPARKS, & OPEN FLAME. USE W/ADEQUATE VENTILATION.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NON SPECIFIED BY MFG. NIOSH/MSHA APPR RESP FOR
ORGANIC VAP IF REQD.
Ventilation:MECHANICAL REQUIRED, LOCAL RECOMMENDED FOR INC

LOSED AREAS.

Protective Gloves:IMPERVIOUS

Eye Protection:CHEM SPLASH GOGGLES

Other Protective Equipment:NONE

Supplemental Safety and Health

MSDS UNDATED. ***VAP PRESS: 90MM@110F

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:=82.2C, 180.F

Vapor Pres:***

Vapor Density:2.1

Spec Gravity:0.86

Evaporation Rate & Reference:2.4 (NBU AC=1)

Solubility in Water:MODERATE

Appearance and Odor:CLEAR, LIGHT AMBER COLOR, ALCOHOLIC ODOR.

Percent Volatiles by Volume:7

5

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE SPECIFIED BY MFG.

Stability Condition to Avoid:NONE SPECIFIED BY MFG

Hazardous Decomposition Products:NONE SPECIFIED BY MFG.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE I/A/W ALL LOCAL, STATE, & FEDERAL REGULATIONS. INCINERATION RECOMMENDED.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.