View NSN Online: https://aerobasegroup.de/nsn/3439-01-008-6200

ALLOY RODS CORPORATION -- ATOM ARC 7018 0.156 10 LB CAN -- 3439-01-008-6200

Product ID:ATOM ARC 7018 0.156 10 LB CAN

MSDS Date:06/06/1986

FSC:3439

NIIN:01-008-6200

MSDS Number: BGCYS === Responsible Party ===

Company Name: ALLOY RODS CORPORATION

Address: WILSON AVENUE

Box:517

City:HANOVER

State:PA ZIP:17331

Info Phone Num:717-637-8911 Emergency Phone Num:717-637-89

11

CAGE:84021

=== Contractor Identification ===
Company Name:ESAB GROUP INC
Address:801 WILSON AVENUE

Box:517

City:HANOVER

State:PA ZIP:17331 Country:US

Phone:717-637-8911 OR 800-933-7070

CAGE:84021

======= Composition/Information on Ingredients ========

Ingred Name:IRON CAS:7439-89-6

RTECS #:NO4565500 Other REC Limits:5MG/M3 OSHA PEL:10MG/M3 ACGIH TLV:5MG/M3

Ingred Name: SILICON

CAS:7440-21-3

RTECS #:VW0400000

Other REC Limits:10MG/M3 OSHA PEL:10 MG/M3 TDUST ACGIH TLV:10 MG/M3 TD UST; 9192

Ingred Name: SODIUM SILICATE

CAS:6834-92-0

RTECS #:VV9275000

OSHA PEL:5MG/M3 (RESP. DUST) ACGIH TLV:0.1MG/M3(RESP.DUST)

Ingred Name: CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS:1317-65-3

RTECS #:EV9580000

Other REC Limits:10MG/M3 OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9192

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

Other REC Limits:10MG/M3 OSHA PEL:10 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9192

Ingred Name: MANGANESE (SARA III)

CAS:7439-96-5

RTECS #:0092750

00

Other REC Limits:5MG/M3 (C)

OSHA PEL:5 MG/M3 DUST

ACGIH TLV:5 MG/M3 DUST 9192

Ingred Name: POTASSIUM SILICATE

CAS:1312-76-1

OSHA PEL:5MG/M3 (RESP.DUST) ACGIH TLV:0.1MG/M3(RESP.DUST)

Ingred Name: CALCIUM FLUORIDE

CAS:7789-75-5

RTECS #:EW1760000

Other REC Limits: 2.5MG/M3

OSHA PEL:2.5 MG/M3 (F)

ACGIH TLV:2.5 MG/M3 (F); 8990

Ingred Name: POTASSIUM FELDSPAR

CAS:7789-75-5

Other REC Limits:10MG/M3(NUISANCE)

OSHA PEL:NOT LISTED ACGIH TLV:NOT LISTED

Ingred Name: ZIRCON (ZIRCONIUM IV, SILICATE)

CAS:1494

Other REC Limits:5MG/M3 OSHA PEL:5 MG/M3/10 STEL (ZR)
ACGIH TLV:5 MG/M3/10 STEL (ZR)
=========== Hazards Identification ===========
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Health Hazards Acute and Chronic:ACUTE:METALLIC TASTE,NAUSEA,TIGHTNESS OF CHEST,FEVER,DIZZINESS,DRYNESS,IRRITATION OF EYES,NOSE,THROAT. CHRONIC: EXCESSIVE LEVELS MAY CAUSE BRONCHIAL ASTHMA,LUNG FIBROSIS,SIDEROSIS. ARC RAYS CAN INJURY EYES & BURN SKIN. ELECTRIC SHOCK CAN KILL.
Effects of Overexposure:SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure:AGGRAVATION OF EXISTING RESPIRATORY OR ALLERGIC CONDITIONS. HIGHER LEVEL OF LUNG RELATED PROBLEMS AMONG SMOKERS.
======================================
First Aid:REMOVE FROM EXPOSURE & OBTAIN PROMPT MEDICAL ATTENTION. IF NOT BREATHING, GIVE CPR. IF UNCONSCIOUS, GIVE OXYGEN. EMPLOY FIRE AID TECHNIQUES RECOMMENDED BY AMERICAN RED CROSS.
===== ================================
Flash Point:NONE Extinguishing Media:APPROPRIATE FOR SURROUNDING FIRE. Unusual Fire/Explosion Hazard:WELDING ARCS & SPARKS CAN IGNITE COMBUSTIBLE PRODUCTS.
========= Accidental Release Measures ==========
Spill Release Procedures:CLEAN UP ANY GRINDING DUST OR WASTE RESIDUE & PLACE IN APPROPRIATE DISPOSAL CONTAINER.
======================================

0-68-2

RTECS #:ZH9000000

Other Precautions:TR

Waste Disposal Methods:DISPOSE OF IAW FEDERAL,STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person util

izing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.