View NSN Online: https://aerobasegroup.de/nsn/6850-01-011-2351

SELECTRONS, LTD -- SPS 5260 SELECTRON COPPER (HIGH SPEED ACID) -- 6850-01-011-2351

============= Product Identification ==============

Product ID:SPS 5260 SELECTRON COPPER (HIGH SPEED ACID)

MSDS Date:01/01/1987

FSC:6850

NIIN:01-011-2351

MSDS Number: BGDDF === Responsible Party ===

Company Name: SELECTRONS, LTD

Address: 137 MATTATUCK HEIGHTS ROAD

Box:115

City:WATERBURY

State:CT

ZIP:06725-0115

Country:US Info Phone Nu m:203-755-9900

Francisco Dhara News 200 7

Emergency Phone Num:203-755-9900

CAGE:MO514

=== Contractor Identification ===
Company Name:SELECTRONS LTD

Address:137 MATTATUCK HEIGHTS ROAD

Box:115

City:WATERBURY

State:CT

ZIP:06725-0115 Country:US

Phone:203-755-9900

CAGE:13929

Company Name: SELECTRONS, LTD

Address:137 MATTATUCK HEIGHTS ROAD

Box:115

City:WATERBURY

State:CT

ZIP:06725-0115

Country:US

Phone:203-755-9900

CAGE:MO514

======= Composition/Information on Ingredients ========

Ingred Name: METHANE SULFONIC ACID

CAS:75-75-2

RTECS #:PB1140000 Fraction by Wt: 10.0%

Ingred Name: CUPRIC SULFATE (SARA III)

CAS:7758-98-7

RTECS #:GL8800000 Fraction by Wt: 100%G/L OSHA PEL:1 MG CU/M3 ACGIH TLV:1 MG/M3 EPA Rpt Qty:10 LBS

Ingred Name:WATER

DOT Rpt Qty:10 LBS

CAS:7732-18-5

RTECS #:ZC0110000

Ingred Name:UNIDENTIFIED COMPONENTS

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Effects of Overexposure:STRONG IRRITANT TO EYES AND MUCOUS
MEMBRANES,CAN CAUSE EYE TEARING AND IRRITATION TO SKIN.

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF NEED;EYES/SKIN:FLUSH W LG AMTS H*20 FOR 15 MIN;INGEST:RINSE MOUTH; GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER SYMPTOMS OF OVEREXPOSURE.

Flash Point:NONE

Extinguishing Media:NON-FLAMMABLE;USE SUITABLE MEDIA FOR SU RROUNDING

FIRES.

Fire Fighting Procedures: NONE NOTED; USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED AREA.

Unusual Fire/Explosion Hazard:IN A HOT FIRE,OXIDES OF SULFUR ARE FORMED WHICH ARE VERY IRRITATING;USE SCBA FOR PROTECTION.

======== Accidental Release Measures ============

Spill Release Procedures:SPILL CAN BE NEUTRALIZED WITH SODA ASH AND TAKEN TO TREATMENT AREA FOR DISPOSAL.CANNOT BE FLUSHED TO ANY SEWER OR DRAIN BECAUSE OF COPPER CONTENT.

Neutralizing

=========== Handling and Storage ============
Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED AREA.KEEP AWAY FROM HEAT,OPEN FLAMES,VENT CONTAINER BEFORE OPENING. Other Precautions:CORROSIVE MATERIAL;TAKE REASONABLE CARE.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NIOSH/MSHA APPROVED RESP DEVICE IN ACCORD WITH EXPOS OF CONCERN Ventilation:LOCAL EXHAUST Protective Gloves:IMPERVI OUS Eye Protection:GOGGLES/FACE SHIELD Other Protective Equipment:FULL PROTECTIVE CLOTHING,SAFETY SHOWER,EYE
WASH STATION Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN:DO NOT BREATHE VAPORS;WASH THOROUGHLY AFTER EACH USE.USE PROPER PERSONAL PROTECTION. Supplemental Safety and Health PH 1
========= Physical/Chemical Properties ==========
HCC:N1 Spec Gravity:1.282 Solubility in Water:COMPLETE Appearance and Odor:BLUE SOLUTION WITH DISTINCTIVE SURFURIZED ODOR
========== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG ALKALIES Stability Condition to Avoid:EXTREME HEAT,OPEN FLAMES Hazardous Decomposition Products:SO*X GASES CAN EVOLVE UPON REACTION.
======= Disposal Considerations ==========
Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compili

Agent:SODA ASH

ng agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.