View NSN Online: https://aerobasegroup.de/nsn/9150-01-011-3953

WITCO SONNEBORN DIVISION -- REFRIGERATION OIL SUNISO 3GS -- 9150-01-011-3953 Product ID:REFRIGERATION OIL SUNISO 3GS MSDS Date:01/01/1987 FSC:9150 NIIN:01-011-3953

MSDS Number: BGDDL === Responsible Party ===

Company Name: WITCO SONNEBORN DIVISION

Emergency Phone Num:(504)366-7281

CAGE:IO567

=== Contractor Identification ===

Company Name: WITCO CHEMICAL CORP SONNEB

ORN CHEMICAL & REFINING

Address:277 PARK AVE Box:City:NEW YORK

State:NY

ZIP:10017-6156 Country:US

Phone:800-424-9300(CHEMTREC)

CAGE:78369

Company Name: WITCO SONNEBORN DIV

Address:RT 268 Box:City:PETROLIA

State:PA

ZIP:16050-9201 Country:US

Phone:412-756-2210

CAGE:IO567

======= Composition/Information on Ingredients ========

Ingred Name: REFINED MINERAL OIL

Fraction by Wt: 100%.

ACGIH TLV:5MG/CUM(MIST)

========== Hazards Identification ===============

Effects of

Overexposure:MINOR SKIN IRRITATION.
======================================
First Aid:SKIN:WASH WITH SOAP AND WATER. EYES: FLUSH WITH WATER. INHALED: REMOVE TO FRESH AIR. REMOVE CONTAMINATED CLOTHING. WASH CLOTH BEFORE REUSE;ING:SEE DOCTOR-IF ANY COND.PERSISTS,SEE DOCTOR/
======================================
Flash Point:>300F,>150C,COC Extinguishing Media:CO*2, FOAM, DRY CHEM & H*20 FOG. Fire Fighting Procedures:WEAR SCB AWTR SPRAY IS AN UNSUITABLE EXTINGUISHING AGT Unusual Fire/Explosion Hazard:NONE
======== Accidental Release Measures =========
Spill Release Procedures:ELIMINATE IGNITION SOURCES. STOP LEAK W/O RISK. EVACUATE AREA. SM SPILL:ABSORB WITH INERT ABSORBENT,FLUSH AREA WITH WATER. LG SPILL:NEUTRALIZE WITH SODA ASH. FLUSH NEUTRALIZED SOLUTION TO SEWER IN ACC ORDANCE WITH INTERNATIONAL FED,STA, & LOCAL REGS.
======================================
Handling and Storage Precautions:STORE IN COOL,DRY WELL VENTED LOW FIRE RISK AREA. PROTECT FROM HEAT,SHOCK,FRICTION. KEEP CONTAINERS CLOSED. Other Precautions:PROTECT AGAINST EYE/SKIN CONTACT-WASH THOROUGHLY
AFTER HANDLING.
====== Exposure Controls/Personal Protection ========
Protective Gloves:RUBBER Eye Protection:CHEM SPLASH GOGGLES Other Protective Equipment:RUBBER APRON. Supplemental Safety and Health MSDS 12-08-86/VISCOSITY>100SUS/
======

======= Physical/Chemical Properties =========
HCC:V6 Boiling Pt:B.P. Text:>500F,>260C Vapor Pres:10. Spec Gravity:0.91 Evaporation Rate & Description Rate
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES AVOID STRONG MINERAL ACIDS(E.G. HCL,H*2SO*4,ETC.) Stability Condition to Avoid:NONE Hazardous Decomposition Products:N ONE NOTED,BUT EXPECT CO, CO*2, H*2O.
======== Disposal Considerations ===========
Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL,FEDERAL,STATE, & LOCAL REGULATIONS.
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expr
essly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.