View NSN Online: https://aerobasegroup.com/nsn/8030-01-015-6104

KOPPERS CO., INC. -- PRIMER, PRETREATMENT COATING* -- 8030-01-015-6104

============= Product Identification ========================

Product ID:PRIMER,PRETREATMENT COATING*

MSDS Date:01/01/1985

FSC:8030

NIIN:01-015-6104

Kit Part:Y

MSDS Number: BGDNJ === Responsible Party ===

Company Name: KOPPERS CO., INC. Address: 3000 KOPPERS BLDG

City:PITTSBURGH

State:PA

ZIP:15219-1818 Country:US CAGE:6V069

=== Contractor Identification ==

=

Company Name: KOPPERS CO INC Address: 3000 KOPPERS BLDG

Box:City:PITTSBURGH

State:PA

ZIP:15219-1818 Country:US CAGE:80592

Company Name: KOPPERS CO., INC.

Address:950 KOPPERS BLDG.

Box:City:PITTSBURGH

State:PA ZIP:15219

Phone: (412) 227-2000

CAGE:6V069

======= Composition/Information on Ingredients ========

Ingred Name:ZINC CHROMATE

CAS:13530-65-9 RTECS #:GB3290000

OSHA PEL:0.1 MG/M3 (CRO3)

ACGIH TLV:0.01MG/M3(CR)A1;9192

Ingred Name: VINYL BUTYRATE

RTECS #:YZ2800000

Ingred Name:BUTY

RTECS #:EO2000000 ACGIH TLV:100PPM Ingred Name: ETHYL ALCOHOL (ETHANOL) CAS:64-17-5 RTECS #:KQ6300000 OSHA PEL:1000 PPM ACGIH TLV:1000 PPM; 9192 Ingred Name:PHOSPHORIC ACID (SARA III) CAS:7664-38-2 RTECS #:TB6300000 OSHA PEL:1 MG/M3/3 STEL ACGIH TLV:1 MG/M3/3 STEL; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS ========== Hazards Identification =============== Effects of Overexposure: IRRIT TO EYES, NOSE, & THROAT NR OR ABOV 200PPM FR VAPORS.HGHR CONCNTR CAUS DR OWSINSS, DIZZ, FOL BY COMA First Aid:REMOV TO FRESH AIR.IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.CALL A DR. FOR EYES, FLUSH W/WATER & CONTACT PHYSCIAN. FLUSH SKIN W/WATER WASH CLOTHING BEFORE REUSE. ============ Fire Fighting Measures ========================= Flash Point:60F TCC 16C TC Extinguishing Media: WATER FOG, FOAM, CO*2 OR DRY CHEMICAL ======== Accidental Release Measures ========= Spill Release Procedures: RECOVER ALL POSSIBLE, THEN WIPE UP WITH RAGS, SAWDUST, ETC. ============= Handling and Storage ========================== Handling and Storage Precautions: KEEP CONTNRS CLOSED. AVOID FLAMES, OPN LIGHTS, WELDING, SMOKING, SPARKS ETC. Other Precautions: MAINTAIN GOOD PERS HYGIENE. DO NOT USE IN CONFINED AREAS, TANK OR PIT W/O ADEQ VENT. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: ORGANIC VAP CANISTER WH

L ALCOHOL

ERE OXYG CONTENT IS ADEQ
& VAP CONCENT LS THN
Ventilation:LOC EXHAUST & MECHANICAL

Protective Gloves: RUBBER GLOVES

Eye Protection: GOGGLES

Supplemental Safety and Health

*MIL-C-8514C IS TWO COMPONENT PRODUCT.ANY MIXTR OF COMPONENTS I & II WILL HAVE HAZARDS OF BOTH COMPONENTS, DATA SUPPLIED IS BASED ON MIXTURE OF BOTH COMPONENTS.

========= Physical/Chemical Properties ===========
HCC:F2 Solubility in Water:100% Appearance and Odor:YELLOW FOG,FOAM, CO*2 OR DRY CHEMIC AL Percent Volatiles by Volume:93
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES
======== Disposal Considerations =============

Waste Disposal Methods: INCINERATE OR USE APPROPRIATE BURIAL AREA.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expre

ssly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.