

ELDORADO CHEMICAL CO. INC. /SAN ANTONIO,TX. -- HT-2230 -- 8010-01-040-1059

=====
Product Identification
=====

Product ID:HT-2230

MSDS Date:01/01/1987

FSC:8010

NIIN:01-040-1059

MSDS Number: BGGZW

=== Responsible Party ===

Company Name:ELDORADO CHEMICAL CO. INC. /SAN ANTONIO,TX.

Emergency Phone Num:(512) 653-9323

CAGE:55208

=== Contractor Identification ===

Company Name:ELDORADO CHEMICAL COMPANY, I
NC.

Address:14350 LOOKOUT ROAD

Box:34837

City:SAN ANTONIO

State:TX

ZIP:78265-4837

Country:US

Phone:800-531-1088/ 210-653-2060

CAGE:55208

=====
Composition/Information on Ingredients
=====

Ingred Name:NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

=====
Hazards Identification
=====

Effects of Overexposure:MAY CAUSE ALLERGIC REACTIONS & DIFFICULTY WITH
BREATHING IN SENSITIVE INDIVIDUALS.

=====
First Aid Measures
=====

First Aid:REMOVE TO FRESH AIR. IN CASE OF SKIN CONTACT, WASH WITH SOAP
AND WATER.

=====
Fire Fighting Measures
=====

Flash Point:200C

Autoignition Temp:Autoignition Temp Text:450F

Lower Limits:2%

Upper Limits:15%

Extinguishing Media:CO2, FOAM

Fire Fighting Procedures:CONTAINS MINERAL OIL WHICH WILL FLOAT ON
WATER.

Unusual Fire/Explosion Hazard:WILL CREATE NITROGEN OXIDES DURING
COMBUSTION.

=====
Accidental Release

Measures =====

Spill Release Procedures:FLUSH WITH WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY PLACE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:ACTIVATED CHARCOAL

Ventilation:MECHANICAL 200 CFM/FT

Protective Gloves:RUBBER

Eye Protection:FACE SHIELD

Other Protective Equipment:RUBBER APRON & BOOTS

Supplemental Safety and Health

=====

Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:340F

Vapor Pres:20

Vapor Density:2

Spec Gravity:.9

Evaporation Rate & Reference:1 (WATER = 1)

Solubility in Water:SLIGHT

Appearance and Odor:DARK LIQUID, AMMONIA ODOR

Percent Volatiles by Volume:80

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

===== Disposal Considerations =====

Waste Disposal Methods:FLUSH TO

SEWER AFTER SEPARATION OF MINERAL OIL

IN GREASE TRAP.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the s

uitability of this information to their particular situation.