

ELDORADO CHEMICAL COMPANY, INC. -- ED-394, CLEANING COMPOUND, AIRCRAFT SURFACE --
6850-01-045-7929

=====
Product Identification
=====

Product ID:ED-394, CLEANING COMPOUND, AIRCRAFT SURFACE

MSDS Date:01/17/1992

FSC:6850

NIIN:01-045-7929

MSDS Number: BGHLT

=== Responsible Party ===

Company Name:ELDORADO CHEMICAL COMPANY, INC.

Address:14350 LOOKOUT ROAD

Box:34837

City:SAN ANTONIO

State:TX

ZIP:78265

Country:US

Info Phone Num:512-653-9323

Emergency Phone Num:800-531-1088

Preparer's Name:PAT E. SMITH

CAGE:55208

=== Contractor Identification ===

Company Name:ELDORADO CHEMICAL COMPANY, INC.

Address:14350 LOOKOUT ROAD

Box:34837

City:SAN ANTONIO

State:TX

ZIP:78265-4837

Country:US

Phone:800-531-1088/ 210-653-2060

CAGE:55208

=====
Composition/Information on Ingredients
=====

Ingred Name:ALIPHATIC PETROLEUM NAPHTHAS

CAS:68476-34-6

Fraction by Wt: 12.0%

Ingred Name:2-BUTOXYETHANO

L
CAS:111-76-2
RTECS #:KJ8575000
Fraction by Wt: 5.0%
OSHA PEL:S, 50 PPM
ACGIH TLV:S, 25 PPM; 9293

Ingred Name:UNIDENTIFIED COMPONENTS
CAS:141-43-5
OSHA PEL:3 PPM/6 STEL
ACGIH TLV:NOT SPECIFIED

===== Hazards Identification =====

LD50 LC50 Mixture:NOT SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:MODERATE INHALATION HAZARD, MODERATE
S
KIN CONTACT HAZARD, CORROSIVE TO EYES.
Explanation of Carcinogenicity:PRODUCT CONTAINS NO INGREDIENTS
CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA.
Effects of Overexposure:ACUTE AND/OR CHRONIC INHALATION MAY CAUSE
IRRITATION, DIZZINESS, NAUSEA AND FATIGUE. MAY CAUSE SKIN
IRRITATION; PROLONGED SKIN CONTACT MAY RESULT IN DERMATITIS.
CORROSIVE TO EYES! WILL BURN EYES IMMEDIATELY UPON CONTACT.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES. CONSULT PHYSICIAN
IMMEDIATELY. SKIN: REMOVE CLOTHING. WASH SKIN WITH SOAP AND WATER.
INHALATION: REMOVE TO FRESH AIR. CONSULT PHYSICIAN IF IRRITATION
DEVELOPES.

===== Fire Fighting Measures =====

Flash Point:NONFLAMMABLE
Lower Limits:NONFLAMMABLE
Upper Limits:NONFLAMMABLE
Extinguishing Media:TREAT AS CLASS B (OIL TYPE) FIRE
Fire Fighting P

rocedures:CONTAINS MIXTURE OF PETROLEUM DISTILLATES.
LIQUID CONTACT MAY CAUSE EYES AND SKIN IRRITATION. SAME PROCEDURES
AS FOR PETROLEUM NAPHTHA.
Unusual Fire/Explosion Hazard:CONTAINS MIXTURE OF PETROLEUM
DISTILLATES. VAPOR INHALATION MAY CAUSE RESPIRATORY TRACT
IRRITATION. WEAR SELF-CONTAINED BREATHING APPARATUS.

===== Accidental Release Measures =====

Spill Release Procedures:RINSE WITH WATER
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM STRONG OXIDIZERS.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SCBA REQUIRED IF LIMITS ARE EXCEEDED
Ventilation:100 FT/MIN
Protective Gloves:RUBBER
Eye Protection:FACE SHIELD OR GOGGLES
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices:WASH WITH SOAP AND
WATER AFTER HANDLING PRODUCT
AND BEFORE EATING DRINKING OR SMOKING.
Supplemental Safety and Health
AVOID PROLONGED SKIN CONTACT.

===== Physical/Chemical Properties =====

HCC:B3
Boiling Pt:B.P. Text:220F,104C
Melt/Freeze Pt:M.P/F.P Text: