

EASTMAN KODAK COMPANY -- 192 7698,FLEXCOLOR DEVLPR,PART-C (PRE 4/86) --  
6750-01-050-7789

=====  
Product Identification  
=====

Product ID:192 7698,FLEXCOLOR DEVLPR,PART-C (PRE 4/86)

MSDS Date:03/01/1979

FSC:6750

NIIN:01-050-7789

Kit Part:Y

MSDS Number: BGJBB

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Nu

m:716-722-5151

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

=====  
Composition/Information on Ingredients  
=====

Ingred Name:4-(N-ETHYL-N-2-HYDROXYETHYL)-2-METHYLPHENYLENEDIAMINE  
SULFATE; WT % RANGE:15-20%(DISSOCIATES TO 10-15% H\*2SO\*4 IN WATER)

CAS:25646-77-9

RTECS

#:KJ6477000

Fraction by Wt: 17.0%

Other REC Limits:1MG/CUM (H\*2SO\*4)

OSHA PEL:17.5

Ingred Name:WATER; WT % RANGE:80-85

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: 82.5%

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NOT KNOWN

Effects of Overexposure:INHALED:GAS(SO\*2) IRRITATS;EYE/SKIN:CONTACT W  
LIQ/GAS IRRITATS.REPEAT

ED CONTACT MAY CAUSE ALLERGY.

=====  
First Aid Measures  
=====

First Aid:INHAL:REMOVE FROM EXPOSURE;EYES:FLUSH IMMEDIATELY WITH PLENTY OF WATER-GET MEDICAL ATTENTION SKIN:FLUSH IMMEDIATELY WITH PLENTY OF WATER

=====  
Fire Fighting Measures  
=====

Flash Point:NONE  
Extinguishing Media:EXTINGUISH WITH AGENT SUITABLE FOR SURROUNDING FIRE  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE NOTED BY MANUFACTURER.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:STOP LEAK WITHOUT RISK.EVACUATE UNPROTECTED PERSONS.NEUTRALIZE WITH SODIUM BICARBONATE.DILUTE WITH COPIOUS AMOUNTS OF WATER AND FLUSH TO SEWER IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL EFFLUENT LAWS.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN COOL,DRY,LOW FIRE RISK AREA.KEEP TIGHTLY SEALED PROTECT FROM PHYSICAL DAMAGE.STORE AWAY FROM MINERAL ACIDS AND STRONG ALKALI.  
Other Precautions:ROUTINE USE OF A NON-ALKALINE(ACID) TYPE HAND CLEANER WILL HELP MINIMIZE THE POSSIBILITY OF ALLERGIC SKIN REACTION

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NONE SHOULD BE NEEDED  
Ventilation:MECHANICAL(GENERAL) RECOMMENDED.LOCAL EXHAUST IF NEEDED  
Protective Gloves:IMPERVIOUS  
Eye Protection:SAFETY GLASSES  
Other Protective Equipment:AS NECESSARY TO PREVENT SKIN CONTACT

Supplemental Safety and Health  
ITEM IS A 3 PART KIT; THIS ENTRY DESCRIBES PART C OF OLD FORMULATION.EFFECTIVE DATE OF FORMULATION CHANGE IS NOT KNOWN; SOLUTION NO:3650, AND ACCESSION #UNKNOWN OF THIS PART; SEE PNI E FOR NEW FORMULATION OF THIS PART; ALSO SEE PNI A, B,& D FOR OTHER PARTS; NOTE:CORR LIQ NOS IS BETTER THAN SULFURIC ACID,UN1830;  
KEY1:C1

=====  
Physical/Chemical Properties  
=====

HCC:C2  
Boiling Pt:B.P. Text:212F/100C  
Vapor Pres:17  
Vapo

r Density:0.6

Spec Gravity:1.08

Solubility in Water:COMPLETE

Appearance and Odor:REDDISH-BROWN,SULFUR DIOXIDE ODOR

Percent Volatiles by Volume:62%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

MINERAL ACIDS AND STRONG ALKALI

Hazardous Decomposition Products:SUFUR DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:NEUTRALIZE WITH SODIUM BICARBONATE.DILUTE THEN  
FLUSH TO SEWER W

ITH COPIOUS AMOUNTS OF WATER.FEDERAL,STATE AND  
LOCAL EFFLUENT LAWS TAKE PRECEDENCE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
a

ssume responsibility for the suitability of this information to their  
particular situation.