

B&B CHEMICAL COMPANY,INC. -- 6166,2023 A -- 6850-01-060-5921

=====  
Product Identification  
=====

Product ID:6166,2023 A

MSDS Date:08/26/1996

FSC:6850

NIIN:01-060-5921

MSDS Number: BGJSD

=== Responsible Party ===

Company Name:B&B CHEMICAL COMPANY,INC.

Address:875 WEST 20TH. STREET,

City:HIALEAH

State:FL

ZIP:33010

Country:US

Info Phone Num:305-888-5247

Emergency Phone Num:305-888-5247

Chemtec Ind/Ph

one:(800)424-9300

CAGE:21361

=== Contractor Identification ===

Company Name:B & B TRITECH, INC.

Address:875 WEST 20TH. STREET,

Box:City:HIALEAH

State:FL

ZIP:33010-2310

Country:US

Phone:305-888-5247

Contract Num:SP0450-00-M-D970

CAGE:21361

=====  
Composition/Information on Ingredients  
=====

Ingred Name:DIETHANOLAMINE (SARA 313) (CERCLA)

CAS:111-42-2

RTECS #:KL2975000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:3 PPM

ACGIH TLV:0.46 PPM; 9596

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

===

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN.

Health Hazards Acute and Chronic:OVEREXPOSURE MAY CAUSE IRRITATION OR BURNING TO EYES, IRRITATION TO SKIN AND RESPIRATORY SYSTEM AND CENTRAL NERVOUS SYSTEM DEPRESSION.

Explanation of Carcinogenicity:NOT ESTABLISHED.

=====  
First Aid Measures  
=====

First Aid:INGESTION: INDUCE VOMITING. DRINK WATER. DERMAL: FLUSH WITH SOAP AND WATER.

EYES: FLUSH WITH PLENTY OF WATER FOR AT LEAST 15

MINUTES. GET MEDICAL ATTENTION. INHALATION: REMOVE TO FRESH AIR.

=====  
Fire Fighting Measures  
=====

Flash Point Method:COC

Flash Point:NONE TO BOIL

Extinguishing Media:WATER FORG, CARBON DIOXIDE, DRY CHEMICAL.

Fire Fighting Procedures:NONE.

Unusual Fire/Explosion Hazard:NONE.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:ABSORB WITH SAND OR INERT MATERI

AL. MOP,

SQUEEGEE AND INDUSTRIAL VACUUM.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:AVOID EXTREME TEMPERATURES. AVOID CONTACT WITH SKIN AND EYES.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:APPROVED ORGANIC VAPOR/AMINE IF VENTILATION IS INADEQUATE.

Ventilation:USE WITH ADEQUATE VENTILATION.

Protective Gloves:CHEMICAL GLOVES.

Eye Protection:SAFETY GOGGLES.

Other Protective Eq

ipment:NONE SPECIFIED BY MANUFACTURER.  
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.  
Supplemental Safety and Health  
NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:T6  
NRC/State Lic Num:NOT RELEVANT  
Boiling Pt:=93.3C, 200.F  
Spec Gravity:1.01  
Evaporation Rate & Reference:ETHER-SLOWER  
Solubility in Water:COMPLETE  
Appearance and Odor:SLIGHTLY VISCOUS LIQUID - MILD ODOR

===== Stability and Reactivity Data =====  
=====

Stability Indicator/Materials to Avoid:YES  
OXIDIZERS.  
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.  
Hazardous Decomposition Products:NONE  
Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE  
AND FEDERAL REGULATIONS.

===== Other Information =====

Disclaimer (provided with this information by  
the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.