View NSN Online: https://aerobasegroup.com/nsn/5970-01-072-5636 PRODUCTS/TECHNIQUES -- PT-207 30% -- 5970-01-072-5636 ============= Product Identification ======================== Product ID:PT-207 30% MSDS Date:01/01/1987 FSC:5970 NIIN:01-072-5636 MSDS Number: BGKMC === Responsible Party === Company Name: PRODUCTS/TECHNIQUES Address:3271 S RIVERSIDE AVE City:RIALTO State:CA ZIP:92316 Country:US **Emergency Phone Num:NONE** CAGE:06341 === Contractor Identification === Company Name: PRODUCTS/ **TECHNIQUES INC** Address:3271 S RIVERSIDE AVE Box:City:RIALTO State:CA ZIP:92376 Country:US Phone:909-877-3951 CAGE:06341 ======= Composition/Information on Ingredients ======== Ingred Name: POLYVINYL FLUORIDE RTECS #:KW2680000 Fraction by Wt: 30.0% Ingred Name: KETONES (MEK & MIBK) Fraction by Wt: 56.0% ACGIH TLV:50 PPM (MIBK) Ingred Name: AROMATIC HYDROCARBONS Fraction by Wt: 14.0% ACGIH TLV:200 PPM ========== Hazards Identification ===============

Effects of O

verexposure:HEADACHE, NAUSEA, MODERATELY IRRITATING TO EYES & SKIN.
======================================
First Aid:REMOVE VICTIM FROM VAPORS-RESTORE BREATHING IF NECESSARY. REMOVE FROM SKIN WITH SOAP & WATER. FLUSH EYES WITH PLENTY OF WATER.
======================================
Flash Point:82F TCC Lower Limits:1.1. Extinguishing Media:CO*2, FOAM OR DRY CHEMICAL Fire Fighting Procedures:DO NOT USE DRY WATER Unusual Fi re/Explosion Hazard:VAPOR MAY FORM EXPLOSIVE MIXTURE BETWEEN UPPER & LOWER EXPLOSIVE LIMITS.
======================================
======================================
Spill Release Procedures:REMOVE SOURCES OF IGNITION. APPLY SWEEPING COMPOUND OR OTHER ABSORBENT MATERIAL-KEEP MATERIAL FROM SPREADING.
=========== Handling and Storage ===========
Handling and Storage Precautions:AVOID OPEN FLAMES & SPARK SOURCES. AVOID SPLASH FILLING. STORE IN SEALED CONTAINERS. ST ORE IN COOL AREA.
Other Precautions:DO NOT TAKE INTERNALLY-AVOID PROLONGED CONTACT WITH SKIN.
====== Exposure Controls/Personal Protection =======
Respiratory Protection:FOR CONFINED AREA USE BUREAU OF MINES RESPIRATORY DEVICE. Ventilation:LOCAL EXHAUST IS PREFERRED. Protective Gloves:RUBBER Eye Protection:SAFETY GLASSES Other Protective Equipment:BM2304 FACE PIECE,BM2304 CARTRIDGE, BM-13&12 FILTERS,CLPS Supplemental Safety and Health THIS FORMULATION DISCONTINUE

======================================
HCC:F3 Boiling Pt:B.P. Text:225-300F
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES
======= Disposal Considerations ===========

D JAN 1985. SEE PNI B FOR CURRENT

FORMULATION.

Waste Disposal Methods:PUT IN APPROVED STORAGE CONTAINER & SHIP TO AN APPROVED STORAGE AREA OR INCINERATE IN A FURNACE UNDER APPROVED CONTROLLED PROCE DURES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.