

KINDT COLLINS CO THE -- WAX 13 (SHEET) -- 9160-01-086-0145

===== Product Identification =====

Product ID:WAX 13 (SHEET)

MSDS Date:11/01/1985

FSC:9160

NIIN:01-086-0145

MSDS Number: BGLCZ

=== Responsible Party ===

Company Name:KINDT COLLINS CO THE

Address:12651 ELMWOOD AVE

City:CLEVELAND

State:OH

ZIP:44111-5911

Info Phone Num:216-252-4122

Emergency Phone Num:216-252-4122

Preparer's Name:PAUL A. GUIN

N

CAGE:33629

=== Contractor Identification ===

Company Name:KINDT COLLINS CO

Address:12651 ELMWOOD AVENUE

Box:City:CLEVELAND

State:OH

ZIP:44111-5911

Country:US

Phone:216-252-4122/CHEMTREC 800-424-9300

CAGE:33629

===== Composition/Information on Ingredients =====

Ingred Name:PRECISE COMPOSITION IS PROPRIETARY INFORMATION AVAILABLE TO  
A PHYSICIAN IN EVENT OF A MEDICAL EMERGENCY.

RTECS #:9999999ZZ

Fraction by Wt: >99%

ACGIH TLV:2MG/CUM (MFR)

Ingred Name:THIS PRODUCT IS NOT

HAZARDOUS AS DEFINED BY THE OSHA HAZARD  
COMMUNICATION STANDARD, CFR TITLE 29 1910.1200.  
RTECS #:9999999ZZ

===== Hazards Identification =====

LD50 LC50 Mixture:N/K TLV/TWA FOR PARAFFIN WAX FUME=2MG/M3  
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:MOLTEN WAX FUMES MAY BE SLIGHTLY  
IRRITATING TO EYES AND RESPIRATORY TRACT. MOLTEN WAX WILL CAUSE  
BURNS ON CONTACT  
WITH SKIN.  
Explanation of Carcinogenicity:NOT LISTED  
Effects of Overexposure:MOLTEN WAX FUMES MAY CAUSE SLIGHT IRRITATION TO  
EYES AND RESPIRATORY TRACT. MOLTEN WAX WILL CAUSE BURNS ON CONTACT  
WITH SKIN.  
Medical Cond Aggravated by Exposure:NONE KNOWN

===== First Aid Measures =====

First Aid:FOR HOT WAX ON SKIN, COOL WITH WATER. APPLY ICE WATER OR  
PACKS TO BURNED AREA IF LESS THAN 10% OF THE BODY. DO NOT REMOVE  
WAX. GET MEDICAL ATTENTION. FO  
R EYE CONTACT, FLUSH WITH WATER FOR  
AT LEAST 15 MINUTES. GET MEDICAL ATTENTION. FOR INGESTION, CONSULT  
MEDICAL PERSONNEL. INHALATION: REMOVE VICTIM TO FRESH AIR. GET  
MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point:NOT SPECIFIED  
Extinguishing Media:USE WATER FOG, FOAM, DRY CHEMICAL OR CO2. DO NOT  
USE A DIRECT STREAM OF WATER. COOL FIRE-EXPOSED CONTAINERS WITH  
WATER.  
Fire Fighting Procedures:DO NOT ENTER CONFINED FIRE SPACE  
WITHOUT  
PROPER PROTECTIVE EQUIPMENT INCLUDING A NIOSH APPROVED  
SELF-CONTAINED BREATHING APPARATUS.  
Unusual Fire/Explosion Hazard:PRODUCT WILL FLOAT AND CAN BE REIGNITED  
ON SURFACE OF WATER. WAX MAY BURN ALTHOUGH NOT READILY IGNITABLE

===== Accidental Release Measures =====

Spill Release Procedures:MAY BURN ALTHOUGH NOT READILY IGNITABLE. USE  
CAUTION WHEN CLEANING UP LARGE MOLTEN SPILLS. LARGE MOLTEN SPILL:  
SHUT OFF SOURCE OF LEAK IF SAFE TO DO S

O. DIKE & CONTAIN. ALLOW WAX  
TO COOL & REMOVE AS A SOLID. SMALL AMOUNTS SHOULD BE ALLOWED TO  
COOL.

Neutralizing Agent:NONE

=====  
===== Handling and Storage =====

Handling and Storage Precautions:AVOID CONTACT WITH HOT MATERIAL.  
MINIMIZE BREATHING OF VAPORS, FUMES OR MIST.

Other Precautions:NONE

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE A NIOSH APPROVED RESPIRATOR TO PREVENT  
OVEREXPOSURE. USE EITHER AN ATMOSPHERE-SUPPLYING RESPIRATOR OR AN  
AIR-PURIFYING RESPIRATOR FOR PARTICULATES. MINIMIZE BREATHING OF  
VAPORS, FUMES OR MIST.

Ventilation:NOT NORMALLY REQUIRED.

Protective Gloves:AS APPROPRIATE TO PROTECT AGAINST HOT WAX

Eye Protection:SAFETY GLASSES OR GOGGLES

Other Protective Equipment:PROTECTIVE CLOTHING TO PROTECT SKIN AGAINST  
HOT MATERIAL.

Work Hygienic Practices:NOT SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health  
NONE

=====  
===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:315C

Vapor Pres:NIL

Spec Gravity:0.930

Solubility in Water:NEGLIGIBLE

Appearance and Odor:BLUE/GREEN SOLID WAX WITH CHARACTERISTIC ODOR

Percent Volatiles by Volume:0

Corrosion Rate:0

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE AND  
UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED

DURING COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods: PLACE IN AN APPROPRIATE DISPOSAL FACILITY IN COMPLIANCE WITH LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.