View NSN Online: https://aerobasegroup.com/nsn/4940-01-089-1084

CRC CHEM. USA -- LECTRA CLEAN,02018 -- 4940-01-089-1084

Product ID:LECTRA CLEAN,02018

MSDS Date:01/01/1985

FSC:4940

NIIN:01-089-1084

MSDS Number: BGLJV

=== Responsible Party ===

Company Name: CRC CHEM. USA

Address:885 LOUIS DRIVE

City:WARMINSTER

State:PA

ZIP:18974-2820

Country:US

Info Phone Num:215-674-4300

Emergency Phone Num:215-674-4300

CAGE:MO888 === Contract

or Identification ===

Company Name: CRC CHEM. USA

Address:885 LOUIS DRIVE

Box:City:WARMINSTER

State:PA

ZIP:18974-2820

Country:US

Phone:215-674-4300

CAGE:MO888

Company Name: CRC INDUSTRIES, INC.

Address:885 LOUIS DRIVE Box:City:WARMINSTER

State:PA

ZIP:18974-2820

Country:US

Phone:215-674-4300/800-424-9300

CAGE:10136

====== Composition/Information on Ingredients ========

Ingred Name: METHYL CHLOROFORM (1,1,1-TRICHLOROEHANE) (SARA III)

CAS:71-55-6

RTECS #:KJ2975000 Fraction by Wt: 72%.

ACGIH TLV:350 PPM/450STEL;9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS Ozone Depleting Chemical:1
Ingred Name:PERCHLOROETHYLENE (TETRACHLOROETHYLENE) (SARA III) CAS:127-18-4 RTECS #:KX3850000 Fraction by Wt: 24%. OSHA PEL:100 PPM ACGIH TLV:25PPM/100,A3 STEL;94 EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS
Ingred Name:CARBON DIOXIDE CAS:124-38-9 RTECS #:FF6400000 Fraction by Wt: 4%. OSHA PEL:5000 PPM ACGIH TLV:5000PPM/30000STEL;93
======================================
Effects of Overexposure:EYE IRRIT,DIZZ,DRUNKENNSS.SYMPTOMS OF NARCOSIS.EXCESSIVE VAPOR CONC-POSSIBLE DEATH FROM SUFFOCATION.
======================================
First Aid:IF EYE IRRIT,DIZZ,DRUNKENNSS OCCUR,MOVE TO FRESH AIR.EYE:IMMEDIATELY FLUSH W/WATER AT LEAST 15 MIN. SKIN:WASH W/SOAP & WATER,APPLY SKIN CREAM TO REPLACE OILS. INGESTN: DONT INDUCE VOMIT. CALL MD. IF B REATHING STOPS:ARTIF,RESP. CALL MD.
======= ======== Fire Fighting Measures ====================================
Flash Point:NONE Unusual Fire/Explosion Hazard:CONFINED AREA-FLAMMABLE ATMOSPHERE MAY DEVELOP.KEEP FROM IGNITN SOURCES WHEN USED WHERE VAPORS CONC.
========= Accidental Release Measures ==========
Spill Release Procedures:N/A FOR AEROSOLS
============== Handling and Storage ===============
Handling and Storage Precautions:VAPORS-HEAVIER THAN AIR & WILL COLLECT IN LOW AREAS-PITS,BOTTOMS OF

OSHA PEL:350 PPM/450 STEL

AREAS.STORE IN COOL, DRY PLACE. Other Precautions: STORE & HANDLE IN WELL VENTILATED AREA. AVOID PROLONGED BREATHING OF VAPORS & PROLONGED/REPEATED SKIN CONTACT. AEROSOL CANS MAY EXPLODE AT TEMP. > 120F. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: NIOSH/MSHA APPRVD RESP. PROTECTION FOR CONCENTRATIONS ABOVE TLV Ventilation:LOCAL EXHAUST RECOMMENDED TO KEEP VAPOR CONC.BELOW TLV. Protective Gloves:SOL VENT RESIST. Eye Protection: SAFETY GLASSES Other Protective Equipment: EYE BATH NEARBY. Supplemental Safety and Health SPECIFIC GRAVITY:1.375-1.390. BOILING PT, VAPOR DENSITY, AND SPECIFIC GRAVITY ARE BULK VALUES. VAPOR PRESSURE: AEROSOL PKG 85-95 PSIN @ 70F. ========= Physical/Chemical Properties =========== HCC:V2 Boiling Pt:B.P. Text:170-252F Vapor Density:4.8 Solubility in Water: NEGLIGIBLE Appearance and Odor:WATER WHITE SOLVENT, CHLORINATED SOLVENT ODOR. Percent Volat iles by Volume:100. ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES **WATER** Hazardous Decomposition Products: CAN DECOMPOSE TO HARMFULL/CORROSIVE VAPORS(FLAME/IGNIN SOURC

TANKS, WELLS, MANHOLES & OTHER CONFINED

Stability Condition to Avoid:HIGH TEMPS, SPARKS, WELDING ARCS, ETC

Waste Disposal Methods: DO NOT INCINERATE AEROSOL CANS. FULL OR PARTIALLY FILLED CANS MUST BE CONSIDERED "HAZARDOUS WASTE" AND DISCARDED AS SUCH.EMPTY CANS MAY BE DISCARDED IAW LOCAL, STATE AND FED. REGULATIONS..

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.