

SHELL OIL COMPANY -- AEROSHELL GREASE 6; SHELL CODE:70026 -- 9150-01-104-6161
===== Product Identification =====

Product ID:AEROSHELL GREASE 6; SHELL CODE:70026

MSDS Date:01/01/1987

FSC:9150

NIIN:01-104-6161

MSDS Number: BGLZM

=== Responsible Party ===

Company Name:SHELL OIL COMPANY

Emergency Phone Num:(713) 473-9461

CAGE:54527

=== Contractor Identification ===

Company Name:SHELL OIL COMPANY

Box:

2463

City:HOUSTON

State:TX

ZIP:77210

Country:US

Phone:800-231-6950

CAGE:54527

===== Composition/Information on Ingredients =====

Ingred Name:SOLVENT REFINED,HYDROTREATED PETROLEUM DISTILLATES; CAS
#64742-54-7

RTECS #:PY8035500

Fraction by Wt: 86.0%

Ingred Name:INORGANIC CLAY (THICKENER)

Fraction by Wt: 06.0%

Ingred Name:FATTY ACID AMIDES; CAS #68910-93-0

Fraction by Wt: 04.0%

Ingred Name:UNIDENTIFIED COMPONENTS (SEE SUPPL DATA FOR IDENTIFICATION)

Fraction by Wt: 04.0%

==== Hazards Identification =====

Effects of Overexposure:EYES:MILD IRRIT TO EYES;SKIN:PROLNGD CONTCT
CAUSES VARIOUS SKIN DISORDERS;INHAL/INGEST:NOT KNOWN.

==== First Aid Measures =====

First Aid:SKIN:WASH W.SOAP & H*2O. EYES:FLUSH W. H*2O. INGESTED:DON'T
INDUCE VOMITING. INHALED:REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF
NEED. KEEP WARM & QUIET. REMOVE CONTAMINATED CLOTHING. NEVER GIVE
ANYTHING BY MOUTH
TO UNCONSCIOUS PERSON.

==== Fire Fighting Measures =====

Flash Point:NOT KNOWN

Extinguishing Media:WATER FOG,DRY CHEM,CO*2.DO NOT USE DIRECT WATER
STREAM.

Fire Fighting Procedures:USE NIOSH APPROVD SCBA IN CONFINED AREA.COOL
EXPOSD CO W/H2O

Unusual Fire/Explosion Hazard:NONE NOTED BY MANUFACTURER.

==== Accidental Release Measures =====

Spill Release Procedures:USE APPROPRIATE SAFETY EQUIP.AVOID SLIPPERY
CONDITIONS.CO

VER WITH COMMERCIAL ABSORBENT.SCOOP UP ABSORBED
MATERIAL & PLACE IN COVERED CONTAINERS.CLEAN AREA WITH APPROPRIATE
CLEANER.

==== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED
AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP
CONTAINERS TIGHTLY CLOSED

Other Precautions:AVOID SKIN & CLOTHING CONTACT.LAUNDER CLOTHES BEFORE
REUSE. NOTE: COMPONENTS WRITTEN IN SUPPL DATA SECTION

ARE NOT ON
THE MSDS BUT THESE WERE ON PREVIOUS MSDS OR IN PREVIOUS HMIS ENTRY.

==== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED

Ventilation:NORMAL ROOM VENTILATION.

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY GLASSES

Other Protective Equipment:NORMAL WORK CLOTHING COVERING ARMS & LEGS.

Supplemental Safety and Health

MSDS FROM SHELL EFFECTV:9/13/85;FOLLOWING COMPONENTS MAY BE PART OF
PRODUCT BUT NOT SHOWN IN MSDS:ARO

MATIC AMINE=1%,DICARBOXYLIC
ACID=1%,MINERAL ACID=1%,POLYMETHACRYLATE=0.5%,NAOH=0.5%.

===== Physical/Chemical Properties =====

HCC:V6

Solubility in Water:NEGLIGIBLE

Appearance and Odor:DARK AMBER,SMOOTH GREASE.SLIGHT ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:HEAT, IGNITION SOURCES

Hazardous Decomposition Products:CO,CO*2 & UNIDENTIFIED
COMPONENTS MAY
BE FORMD IF BURNT.

===== Disposal Considerations =====

Waste Disposal Methods:MFR RECOMMENDS TO DISPOSE OF IN AN APPROVED
DISPOSAL FACILITY IN COMPLIANCE WITH LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to b
e accurate and

disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.